


Product data sheet

Specifications



Microperforated mounting plate H500xW500 w/holes diam 3,6mm on 12,5mm pitch

NSYMF55

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or component type	Mounting plate
Device application	Multi-purpose
Enclosure nominal dimensions	- H: 500 mm W: 500 mm
Mounting location	Direct fixing on backstuds Step slide
Mounting plate description	Microperforated
Range compatibility	PanelSeT S3D PanelSeT CRN PanelSeT PLM
Quantity per set	Set of 1
Material	Galvanised steel

Complementary

Fixing mode	Screwed on backstuds - screw type M8 By fixing element
Permanent permissible load	90 kg
Height	465 mm
Width	450 mm
Depth	125 mm
thickness	1.8 mm
Product weight	3.12 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.300 cm
Package 1 Width	45.000 cm
Package 1 Length	46.500 cm
Package 1 Weight	3.108 kg
Unit Type of Package 2	P12
Number of Units in Package 2	100
Package 2 Height	45.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	324.000 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No

Technical Illustration

Dimensions

