

CA-00000002S00 - Panel mounting base



1620541

<https://www.phoenixcontact.com/in/products/1620541>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Device connector, front mounting without contact insert, straight, SPEEDCON locking, M23, flat gasket, 4x Ø 3.2, shielded: yes, flange dimensions: 25 mm x 25 mm

Commercial data

Item number	1620541
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	*****
Product key	ABRAEP
GTIN	4046356828857
Weight per piece (including packing)	22 g
Weight per piece (excluding packing)	19.92 g
Customs tariff number	85366990
Country of origin	DE

CA-00000002S00 - Panel mounting base



1620541

<https://www.phoenixcontact.com/in/products/1620541>

Technical data

Product properties

Product type	Circular connector housing
Series	CA
Application	Signal
Type	Flange housing on the device side
Shielded	yes
Thread type	M23

Dimensions

Housing

Flange dimensions	25 mm x 25 mm
-------------------	---------------

Material specifications

Housing material	GD-Zn
------------------	-------

Connector

Type	straight
------	----------

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP67
Altitude	2000 m

Mounting

Mounting type	Front mounting (4x Ø 3.2 mm)
Mounting	4x Ø 3.2

CA-00000002S00 - Panel mounting base



1620541

<https://www.phoenixcontact.com/in/products/1620541>

Classifications

ECLASS

ECLASS-13.0	27440224
-------------	----------

ETIM

ETIM 9.0	EC002641
----------	----------

UNSPSC

UNSPSC 21.0	31261500
-------------	----------

CA-00000002S00 - Panel mounting base



1620541

<https://www.phoenixcontact.com/in/products/1620541>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

CA-00000002S00 - Panel mounting base



1620541

<https://www.phoenixcontact.com/in/products/1620541>

Accessories

CA-Z0120 - Color coding

1620704

<https://www.phoenixcontact.com/in/products/1620704>

Color coding, color: green



CA-Z0121 - Color coding

1620705

<https://www.phoenixcontact.com/in/products/1620705>

Color coding, color: orange



CA-00000002S00 - Panel mounting base

1620541

<https://www.phoenixcontact.com/in/products/1620541>



CA-Z0122 - Color coding

1620706

<https://www.phoenixcontact.com/in/products/1620706>

Color coding, color: black



SF-Z0019 - Protective cap

1607449

<https://www.phoenixcontact.com/in/products/1607449>

Plastic protection cap, with eye, IP40 for connectors with M23 external thread, RF, SF series



CA-00000002S00 - Panel mounting base

1620541

<https://www.phoenixcontact.com/in/products/1620541>



RC-Z2469 - Protective cap

1611797

<https://www.phoenixcontact.com/in/products/1611797>



Plastic protection cap, antistatic, for RF, SF, CA, RC series connectors, with M23 external thread

RC-Z2104 - Metal protective cap

1604260

<https://www.phoenixcontact.com/in/products/1604260>



Metal protective cap, M23, series: RC, UC, RF, SF, NC, RM, Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0.1 %) item no.: 1241739

CA-00000002S00 - Panel mounting base

1620541

<https://www.phoenixcontact.com/in/products/1620541>



RC-Z2068 - Metal protective cap

1604236

<https://www.phoenixcontact.com/in/products/1604236>

Metal protective cap, M23, series: RC, UC, RF, SF, NC, RM, Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0.1 %) item no.: 1241735



PROT-M23PRO-OT-IP20 - Plastic protective cap

1055753

<https://www.phoenixcontact.com/in/products/1055753>

Plastic protective cap, M23, series: M23 PRO



Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT (I) Pvt. Ltd.

A-58/2, Okhla Industrial Area, Phase - II, New Delhi-110 020

+91.1275.71420

info@phoenixcontact.co.in