

Product datasheet

Specifications



APC Replacement Battery Cartridge # 136 with 2 Year Warranty

APCRBC136

EAN Code: 0731304293361

Overview

Lead time Usually in Stock

Main

Product or component type Replacement battery cartridge

Battery type Lead-acid battery

Provided equipment Installation guide

Batteries & Runtime

Battery location Internal battery

Number of battery blocks per string 2

Number of battery free slots 0

Number of battery filled slots 0

Device mounting Stand alone battery stack

Battery voltage 24 V

Number of battery replacement quantity 1

Physical

Height 107 mm

Width 107 mm

Depth 144 mm

Net weight 3.3 kg

Mounting mode Not rack-mountable

Output

Battery capacity 4.5 Ah

Environmental

Ambient air temperature for operation 0...50 °C

Operating altitude 0...10000 ft

Relative humidity 0...95 %

Ambient air temperature for storage -15...45 °C

Storage altitude 0...15240 m

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Storage Relative Humidity	0...95 %
---------------------------	----------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	22.9 cm
------------------	---------

Package 1 Width	22.9 cm
-----------------	---------

Package 1 Length	22.9 cm
------------------	---------

Package 1 Weight	3.75 kg
------------------	---------

Contractual warranty

Warranty (in months)	24
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	24 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile
Carbon footprint of the manufacturing phase [A1 to A3]	12 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.5 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.3 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	1 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	10 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	25764278-9ac2-4c03-941a-d133167ad10f
REACH Regulation	REACH Declaration

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture


Recyclability potential, in %	1
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

