

#### **RAYCHEM**

TE Internal #: 084289-000

Closed Ring Tongue Terminal, 16 – 14 AWG, #10 Stud, 5.3 mm [. 209 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially

Insulated

View on TE.com >



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 1.5 – 2.5 mm<sup>2</sup>

Stud Size: #10

Stud Diameter: 5.3 mm [ .209 in ]

### **Features**

## **Product Type Features**

Shape Description	RING-008
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#10
Sealable	No
Wire Insulation Support Retention Type	Insulation Support

## **Configuration Features**

Number of Holes	1	
-----------------	---	--

## **Body Features**

Product Weight	1.14 g[.0402 oz]
Insulation Sleeve Color	Blue

## **Contact Features**

Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

### Mechanical Attachment

Wire Insulation Support	With	
-------------------------	------	--

#### **Dimensions**

Wire Size	$1.5 - 2.5 \text{ mm}^2$



Stud Diameter	5.3 mm[.209 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	33 mm[1.299 in]
Barrel Inside Diameter	4.57 mm[.18 in]

#### **Usage Conditions**

Insulation Option	Partially Insulated
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

## **Industry Standards**

Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	1000
Packaging Method	Box

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



## Compatible Parts




# Customers Also Bought



TE Part #201451-000 B-106-1993




TE Part #944773-000 B-106-1803



TE Part #486501-000 B-106-2401




TE Part #697233-000 B-106-1503




TE Part #802789-000 B-106-1801



TE Part #097305-000 B-106-2402



TE Part #164581-000 B-106-1403



TE Part #899003-000 B-106-1603



TE Part #857409-000 B-106-1992



TE Part #YCTJ112E01EC015000
MODULE ASSY

## **Documents**

Product Drawings B-106-1502

English

Datasheets & Catalog Pages

1654025\_Sec8\_B-106

Closed Ring Tongue Terminal, 16 – 14 AWG, #10 Stud, 5.3 mm [.209 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated



English

**Product Specifications** 

Installation Procedure for Duraseal Splices and Terminals

English