# Product datasheet

Specifications

## TeSys F - terminal shroud for contactor or relay 2P/3P

Local distributor code:

2197814 LA9F703

**EAN Code: 3389110120622**

## Main

| | |
|---|---|
| **Range** | TeSys |
| **Device short name** | LA9F |
| **Product or component type** | Terminal shroud |
| **Accessory / separate part category** | Protection accessory |
| **Range compatibility** | TeSys LR9F electronic thermal overload relay<br>TeSys LC1F contactor<br>TeSys LC2F reversing contactor<br>TeSys CR1F magnetic latching contactor<br>Altistart ATS22 soft starter |
| **Product compatibility** | LC1F225, F265, F330, F400, F500<br>LC1F4002, F5002<br>CR1F265, F400, F500<br>ATS22 C21, C25, C32, C41, C48, C59<br>LC2F225, F265<br>LR9F7575, F7579, F7581<br>LR9F75, F79, F81<br>LR9F7375, F7379, F7381 |
| **Quantity per set** | Set of 6 |
| **Poles description** | 1P |

## Complementary

| | |
|---|---|
| **Mounting location** | On power terminal |
| **Net weight** | 0.25 kg |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 9.100 cm |
| **Package 1 Width** | 14.800 cm |
| **Package 1 Length** | 33.000 cm |
| **Package 1 Weight** | 392.000 g |
| **Unit Type of Package 2** | S06 |
| **Number of Units in Package 2** | 39 |
| **Package 2 Height** | 75.000 cm |
| **Package 2 Width** | 60.000 cm |
| **Package 2 Length** | 80.000 cm |
| **Package 2 Weight** | 28.483 kg |

# Logistical informations

**Country of origin**       CZ

# Contractual warranty

**Warranty (in months)**      18

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained 〉

How we assess product sustainability 〉

### Environmental footprint

| | |
|---|---|
| Total lifecycle Carbon footprint | **3** |
| Environmental Disclosure | **Product Environmental Profile** |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **Yes** |
| Packaging without single use plastic | **No** |
| EU RoHS Directive | **Compliant with Exemptions** |
| SCIP Number | **975ba4d0-bc82-40e2-8faa-6f6819f63b0c** |
| REACh Regulation | **REACh Declaration** |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| End of life manual availability | **End of Life Information** |
| Take-back | **No** |
| WEEE Label | **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins** |