
Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

PanelSeT SF Standard enlarged roof W800 x D600 mm



NSYRSF86L

Main

Range	PanelSeT	
Offer type	Spare part	
Accessory / separate part category	Enclosure accessory	
Product or component type	Roof	
Device application	Multi-purpose	
Range compatibility	PanelSeT PanelSeT SF suitable enclosure	
Device composition	1 roof	

Complementary

Material	Steel	
Colour	Grey (RAL 7035)	
Surface finish	Epoxy-polyester powder	
Fixing mode	By screws - screw type M12 - roof fixing point location By screws - screw type M6 - roof fixing point location	
Height	7.5 mm	
Width	796 mm	
Depth	596 mm	
Thickness	1.5 mm	
IP degree of protection	IP55 conforming to IEC 60529 (enclosure protection)	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.500 cm
Package 1 Width	82.000 cm
Package 1 Length	63.000 cm
Package 1 Weight	6.976 kg
Unit Type of Package 2	P12
Number of Units in Package 2	15
Package 2 Height	70.500 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm

Package 2 Weight 117.000 kg

Contractual warranty

Coverage	Core product
Warranty	18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental Disclosure

Product Environmental Profile

Use Better

⊗ Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	52da316e-d4e1-4114-85c0-32a03b2934fd
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No