
Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



REAR CONN.COV.V.FIX.NS1600

LVS04853

EAN Code: 3606481880185

Main

Range	PrismaSeT	
Range of product	PrismaSeT P	
Product or component type	Rear connection cover	
Accessory / separate part category	Interface accessory	
Range compatibility	PrismaSeT PrismaSeT P framework	
Cubicle partitioning form	Form 1	

Complementary

installation description	Cubicle - width 650 mm, depth 400 + 400 mm	
Installed device	Vertical fixed NS630b1600 Vertical fixed + drawout NT0616	
Quantity per set	Set of 1	
Material	Steel	
Height	300 mm	
Width	575 mm	
Net weight	8.42 kg	
Surface finish	Matt Textured	
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder	
Colour	White (RAL 9003)	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.0 cm
Package 1 Width	64.0 cm
Package 1 Length	83.5 cm
Package 1 Weight	8.489 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	10
Package 2 Height	66.0 cm
Package 2 Width	84.0 cm

Package 2 Length	128.0 cm
Package 2 Weight	181.0 kg

Logistical informations

Country of origin

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better


Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
PVC free	Yes

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Dimensions



- All dimensions are approximate and are ir
 Also see technical documentation.