

Isobar P B Standalone Active distribution board, Acti9, 24 AFDD ways

SEA9BPNAFD24

EAN Code: 3606482207752

Main

Range	Acti9
product name	Acti9 Isobar P B
Product or component type	Distribution board
Device application	Distribution
Enclosure type	Standard
Provided equipment	Earth stud Enclosure Door Front cover Pan assembly Earth terminal block Blanking plate Removable gland plates
Colour	Cream (RAL 9001)

Complementary

Enclosure mounting	Surface	
Poles description	3P + N	
[le] rated operational current	250 A at 400/415 V AC 250 A at 230/240 V AC	
Breaking capacity	25 kA	
Overvoltage category	IV	
[Ui] rated insulation voltage	500 V	
[Uimp] rated impulse withstand voltage	6 kV	
Incomer device options	Switch disconnector - 3P + N Switch disconnector - 4P MCCB - 4P Terminal block - 4P Contactor - 4P RCCB - 4P	
Protection device options at outgoer	Arc fault detection device(AFDD) 2P 32 A	
Number of ways	24 ways (2P) outgoer AFDD	
Enclosure material	Steel	
surface treatment	Ероху	
Surface finish	Powder paint	
Height	808 mm	
Width	470 mm	

Depth	140 mm
Product weight	16.5 kg

Environment

Standards	BS EN 61439-3	
IP degree of protection	IP2X without cover internal conforming to BS EN 60529 IP3x with cover external conforming to BS EN 60529	
IK degree of protection	IK05	
Ambient air temperature for operation	-3570 °C	
Ambient air temperature for storage	-4080 °C	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.000 cm
Package 1 Width	49.000 cm
Package 1 Length	81.000 cm
Package 1 Weight	17.096 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	12
Package 2 Height	105.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	225.152 kg

Logistical informations

Country of origin GE

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better

⊗ Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Product datasheet

SEA9BPNAFD24

Image of product / Alternate images

Alternative

