

https://www.phoenixcontact.com/gb/products/3241109



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Spiral hose, for easy bundling and guiding of cables and conductors, offers protection against slight mechanical strain

Commercial data

Item number	3241109
Packing unit	50 m
Minimum order quantity	50 m
Sales key	BE7451
Product key	BE7451
Catalog page	Page 601 (C-3-2019)
GTIN	4046356734394
Weight per piece (including packing)	4.6 g
Weight per piece (excluding packing)	4.6 g
Customs tariff number	39269097
Country of origin	PL



https://www.phoenixcontact.com/gb/products/3241109



Technical data

Product properties

Product type	Cable tie
Туре	Continuous strip

Dimensions

Width	15 mm	
Length	50 m	
Internal dimensions		
Internal diameter	2.3 mm	

Material specifications

Color	transparent
Material	PE
Flammability rating according to UL 94	НВ
Components	free from silicone and halogen

Cable/line

	External cable diameter	3 mm 15 mm
--	-------------------------	------------

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-50 °C 85 °C
Ambient temperature (assembly)	-20 °C 60 °C

Mounting

Mounting type	Twiet
Wounting type	i wist



https://www.phoenixcontact.com/gb/products/3241109



Classifications

UNSPSC 21.0

_	\sim	$\Lambda \cap \cap$
		A.7.7

	ECLASS-13.0	27430302
ET	ТМ	
	ETIM 9.0	EC002604
UNSPSC		

39131700



https://www.phoenixcontact.com/gb/products/3241109



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2025 @ - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT Ltd Halesfield 13, Telford Shropshire, TF7 4PG 01952 681700 info@phoenixcontact.co.uk