


Part Number: <u>351551200</u>

Product Description: 2.50mm Pitch Wire-to-Board

Housing, Positive Lock, Natural, 12 Circuits

Series Number: 35155

Status: Not Recommended For New Design **Product Category:** Connector Housings



Documents & Resources

Drawings

351551200 sd.pdf

351551200 stp.zip

Specifications

351550200-100.pdf

PK-35155-001-001.pdf

PS-35155-001-001.pdf

PS-35155-002-001.pdf

PS-35184-001-001.pdf

PS-68143-001-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	⊚ per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

Compliance Statements

EU RoHS

- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Not Recommended For New Design
Category	Connector Housings
Series	35155
Description	2.50mm Pitch Wire-to-Board Housing, Positive Lock, Natural, 12 Circuits
Application	Signal, Wire-to-Wire
Product Name	N/A
UPC	800754835350

Agency

CSA	LR19980
UL	E29179

Physical

Breakaway	No
Circuits (maximum)	12
Color - Resin	Natural
Flammability	94V-0
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	None

Lock to Mating Part	Yes
Material - Resin	Polyester
Net Weight	1.173/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.50mm
Pitch - Termination Interface	2.50mm
Temperature Range - Operating	-40° to +105°C

Mates With / Use With

Mates with Part(s)

Description	Part Number
2.50mm Pitch Wire-to-Wire Plug Housings	<u>35184</u>
2.50mm Pitch Vertical Headers	<u>35312</u>

Use with Part(s)

Description	Part Number
SPOX Female Crimp Terminals	<u>5103</u>

This document was generated on Aug 04, 2025