

Product data sheet

Specifications



Post fixing device galvanized steel post diam. max 215mm load 100kg for PLM86

NSYSFP600

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	Thalassa
Accessory / separate part category	Fixing accessory
Product or Component Type	Post fixing device
Device Application	Multi-purpose
Enclosure nominal dimensions	- H: 33.3 in (847 mm) W: 25.04 in (636 mm) D: 11.8 in (300 mm)
Mounting Location	Rear of enclosure Outdoor installations on a post
Range compatibility	Thalassa Thalassa PLM
Device composition	fixing elements 2 support rail 2 strip

Complementary

Material	galvanised steel
Fixing mode	By fixing element - on a post
Permanent permissible load	220.5 lb(US) (100 kg)
Height	1.8 in (45 mm)
Width	23.4 in (595 mm)
Depth	1.3 in (32.5 mm)
Diameter	8.5 in (215 mm)

Ordering and shipping details

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480192531
Returnability	No
Country of origin	ES

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.76 in (7.000 cm)
Package 1 Width	4.33 in (11.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	23.62 in (60.000 cm)
Package 1 Weight	7.275 lb(US) (3.300 kg)
Unit Type of Package 2	CAR
Number of Units in Package 2	5
Package 2 Height	9.84 in (25.000 cm)
Package 2 Width	15.75 in (40.000 cm)
Package 2 Length	19.69 in (50.000 cm)
Package 2 Weight	36.376 lb(US) (16.500 kg)
Unit Type of Package 3	PAM
Number of Units in Package 3	60
Package 3 Height	19.69 in (50.000 cm)
Package 3 Width	39.37 in (100.000 cm)
Package 3 Length	47.24 in (120.000 cm)
Package 3 Weight	465.176 lb(US) (211.000 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data


Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)


[How we assess product sustainability >](#)

<div>Environmental footprint</div>	
Environmental Disclosure	Product Environmental Profile

Use Better

<div>Materials and Substances</div>	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration

Use Again

<div>Repack and remanufacture</div>	
Circularity Profile	No need of specific recycling operations
Take-back	No