

Product datasheet

Specifications

Schneider Electric ZBA7432
Picture

red cap marked O for
rectangular multiple-headed
pushbutton Ø22

Local distributor code:

393612338

ZBA7432

EAN Code: 3389119044189

Main

Accessory / separate part category	Marking accessory
Accessory / separate part type	Marked push-button cap
Accessory / separate part destination	Multiple-headed push-button Wireless push-button head
User language	International
Marking	White O
Cap/operator or lens colour	Red
Shape of signaling unit head	Round
Quantity per set	Set of 1
Sale per indivisible quantity	10
Product weight	0.01 kg

Complementary

Range compatibility	Harmony XB4R Harmony XB5 Harmony XB5R Harmony XB4 Harmony XALE
Operator profile	Flush
Main group	Double head push-button Illum double head Triple head push-button Wireless push-button

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.100 cm
Package 1 Width	10.000 cm
Package 1 Length	12.000 cm
Package 1 Weight	0.600 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	0.100 cm
Package 2 Width	10.000 cm
Package 2 Length	12.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	7.000 g
Unit Type of Package 3	S01
Number of Units in Package 3	100
Package 3 Height	15.000 cm
Package 3 Width	15.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	239.000 g

Logistical informations

Country of origin	FR
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	0
End of life manual availability	No need of specific recycling operations
Take-back	No