

FEATURES

- Can be used in combination with XB 300 and XB 500
- allows loose cable bundles and individual wires to be rolled
- Telescopic centre mandrel, ex- tendable up to 294 mm
- this allows high cable bundles or corresponding tube bundles to be accommo- dated

RS PRO Cable Storage Racks & Dispensers

RS Stock No.: 2228162



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.

Cable Storage Racks & Dispensers



Product Description

The multi-function mandrel has been specially developed for the X BOARD XB 300 and XB 500 cable rolling systems. Loose cable bundles can also be rolled by attaching them to the stainless steel centre mandrel of the XB 300 and then folding out the 4 side brackets. The telescopic centre mandrel measures 72 mm in diameter.

It is therefore also ideal for rolling a thinner cable bundle with a small inner diameter or individual wires. The normal height of the multi-function mandrel is 196 mm, which can be extended up to max. 294 mm via the telescopic mechanism. This means high cable bundles or corresponding tube bundles can also be rolled. When the 4 side brackets are unfolded, there is a total contact surface of 430 mm in diameter. Ideally, this should correspond to the respective cable or tube bundle.

Optimum area of application: rolling of loose cable bundles or individual wires up to a max. height of 294 mm and a max. diameter of 430 mm

General Specifications

Dimensions	Unfolded: Height 294 mm, Ø 430 mm Closed: Height 196 mm, Ø 72mm
Weight	1,26 kg

Similar Products

Stock No.	Brand	Product Name	Attribute 1	Attribute 2	Attribute 3
2228158	RS PRO	XB500 Cable Roller	800kg capacity		
2228160	RS PRO	XB300 Cable Roller	300kg capacity		
2228161	RS PRO	XB300 Cable Roller 300kg capacity + Multi-function Mandrel set	300kg capacity	Includes multi-function mandrel	

Cable Storage Racks & Dispensers



