

PARTITION OF PREFABRICATED CONNECTION DEVICES >800A W650 D600

LVS04926

EAN Code: 3606481880345

Main

Range	PrismaSeT	
Range of product	PrismaSeT P	
Product or component type	Connection cover	
Accessory / separate part category	Insulation accessory	
Range compatibility	Linergy Linergy BS busbar PrismaSeT PrismaSeT P framework	
Cubicle partitioning form	Form 1	

Complementary

installation description	Cubicle - width 650 mm, depth 600 mm Cubicle - width 650 mm, depth 600 + 400 mm	
Number of vertical modules [50 mm]	4	
Installed device	Horizontal connection for NW Horizontal connection for NT Horizontal connection for NS630b1600 Horizontal connection for NS1600b3200 Horizontal connection for INS630b2500 Horizontal connection for INV630b2500	
Quantity per set	Set of 1	
Width	573 mm	
Net weight	2.16 kg	
Surface finish	Matt Textured	
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder	
Colour	White (RAL 9003)	

Packing Units

r adming diffic	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.500 cm
Package 1 Width	42.000 cm
Package 1 Length	68.000 cm
Package 1 Weight	2.980 kg
Unit Type of Package 2	P12
Number of Units in Package 2	40

Package 2 Height	96.000 cm	
Package 2 Width	80.000 cm	
Package 2 Length	120.000 cm	
Package 2 Weight	130.000 ka	

Logistical informations

Country of origin FR

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental Disclosure

Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
PVC free	Yes


Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

LVS04926

Technical Illustration

Dimensions



All dimensions are approximate and are in
 Also see technical documentation.