



[Home](#) / [Home](#) / [Labels](#) / [Labels by Sign and Label Printer](#) / [S3100 Labels](#) /  
Continuous Vinyl Tape for BBP3X/S3XXX/i3300 Printers

## B30 Series Continuous Vinyl Labels

[Overview](#) [Specifications](#)



### Product Highlights:

**Dimensions:** 57.00 mm (W) x 30.00 m (L)

**Colour:** Yellow

**Brady Material Type:** Vinyl

**Brady Material No.:** [B-7569 \(View Technical Data Sheet\)](#)

**Label Properties:** Aggressive Adhesive, Permanent Adhesive, Standard High Quality

**Application(s):**

Facility identification, Floor marking, Hazard communication identification, Pipe and valve marking, Safety identification, Warehouse marking

**Finish:** Gloss

**Printer Compatibility:** BBP30, BBP31, BBP33, BBP35, BBP37, i3300, i5300, S3000, S3100

---



## Overview

B-7569 is ideal for indoor/outdoor facility labels, including 5S labels, safety labels, warning labels, pipe markers, equipment labels and visual workplace labels.

---

## Specifications


### Key Characteristics

Article Number	120927
Order Reference	B30C-2250-7569-YL
Total Qty per Pack	1 Roll(s) / Box
QTY. per Row	1
Application(s) 	Facility identification, Floor marking, Hazard communication identification, Pipe and valve marking, Safety identification, Warehouse marking
Quantity	1
Brand	Brady®
Ribbon Series	B30-R10000
Country of Origin 	MX

### Dimensions

Size - Length (m)	30.00 m
Size - Width (mm)	57.00 mm
Web Width (mm)	63.35 mm
Dimensions	57.00 mm (W) x 30.00 m (L)

### Material Characteristics

Brady Material No. 	<a href="#">B-7569 (View Technical Data Sheet)</a>
Brady Material Type	Vinyl
Thickness (mm)	0.102 mm
Colour	Yellow
Min. Application Temp. °C	10 °C
Max. Service Temp. °C	75 °C
Min. Service Temp. °C	-20 °C
Adhesive	Permanent Acrylic
Finish	Gloss
Surface	For smooth & textured/rough surfaces
Label Properties	Aggressive Adhesive, Permanent Adhesive, Standard High Quality


**Printing Specifications**

Print Technology	Thermal Transfer
Smart Cell	Yes

**Compatibility**

Printer Compatibility	BBP30, BBP31, BBP33, BBP35, BBP37, i3300, i5300, S3000, S3100
-----------------------	---

**Compliance**

UNSPSC 	55121612
RoHS Compliance Status	Compliant with Directive 2011/65/EU and 2015/863
REACH SVHC Status	Part does not contain an SVHC
REACH Candidate List Date	08 July 2021
Approval/Compliance	BS5609:1986 Section 2 and section 3