
Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



NSYTFPCRN10

Main

Range	PanelSeT	
Product or component type	Door cable-guide cross rail	
Application	Multi-purpose	
Nominal dimensions of the housing	-	
Mounting location	On door reinforcement frame	
Range compatibility	PanelSeT S3D, CRN, S3X enclosures PanelSeT enclosures with a height from 400 mm for PanelSeT S3D/CRN enclosures PanelSeT enclosures with a height from 500 mm for PanelSeT S3X enclosures	
Device composition	Fixing elements 2 x cross rails	
Quantity per set	Set of 1	

Complementary

Material	Steel	
Surface finish	Zinc coated	
Fixing mode	By 2 screws - screw type self tapping - on door reinforcement frame location	
Adjustment	At the required height for on door reinforcement frame	
Height	30 mm	
Width	Nominal: 1000 mm Real: 932 mm	
Depth	14 mm	
Net weight	0.956 kg	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	4.000 cm
Package 1 Length	93.500 cm
Package 1 Weight	956.000 g
Unit Type of Package 2	PAL
Number of Units in Package 2	50
Package 2 Height	29.000 cm

Package 2 Width	37.500 cm
Package 2 Length	120.000 cm
Package 2 Weight	47 800 ka

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability

∅ Environmental foo	tprint
---------------------	--------

Environmental Disclosure Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No