




 PRODUCT-DETAILS

BEY190-4

BEY190-4 Connection Set



General Information

Extended Product Type	BEY190-4
Product ID	1SFN084813R1000
EAN	7320500481349
Catalog Description	BEY190-4 Connection Set
Long Description	Connections for Star-Delta starters L+D=AF190, Y=AF140

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Popular Downloads

Data Sheet, Technical Information	1SBC100214C0202
Instructions and Manuals	1SFC100007M0201
CAD Dimensional	2CDC001079B0201

Drawing

Dimensions

Product Net Width	280 mm
Product Net Depth / Length	36 mm
Product Net Height	43 mm
Product Net Weight	1.15 kg

Technical

Terminal Type	Screw Terminals
Suitable For	AF116 AF140 AF146 AF190 AF205
Suitable for Product Class	Block Contactors
Product Name	Connection Set

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Declaration	2CMT2021-006277
RoHS Information	No declaration needed
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

cUL Certificate	20120925-E36588
Declaration of Conformity - CE	2CMT004895
Declaration of Conformity - UKCA	2CMT2020-006120

Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 Width	208 mm
Package Level 1 Depth / Length	79 mm
Package Level 1 Height	167 mm
Package Level 1 Gross Weight	1.17 kg
Package Level 1 EAN	7320500481349

External Classifications and Standards

Object Classification Code		W
ETIM 7	EC002498 - Accessories for low-voltage switch technology	
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology	
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology	
eClass		V11.0 : 27371392
UNSPSC		39122221
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory	
E-Number (Finland)		3706547
E-Number (Norway)		4188104
E-Number (Sweden)		3210222

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors

