



Switches > Slide Switches



Contact Current Rating: **.3 A**  
Configuration (Pole-Throw): **Single Pole - Three Throw**  
Product Orientation: **Vertical**  
Contact Base Material: **Copper Alloy**  
Number of Actuators: **Single**

Features

Configuration Features

Terminals Connected	1-3
Configuration (Pole-Throw)	Single Pole - Three Throw
Number of Actuators	Single
Number of Positions	3
Operating Function	On On On

Electrical Characteristics

Contact Current Rating	.3 A
Operating Voltage	125 VAC

Body Features

Actuator Orientation	Top
Actuator Travel	2 mm[.078 in]
Product Orientation	Vertical
Actuator Profile	Extended
Actuator Material	Nylon



Actuator Color	Black
----------------	-------

Contact Features

Contact Base Material	Copper Alloy
Switch Contact Plating Material	Silver

Termination Features

Termination Post & Tail Length	3 mm[.118 in]
Termination Method to PCB	Through Hole - Solder

Dimensions

Product Width	9.4 mm[.37 in]
Product Length	24 mm[.945 in]
Actuator Length	10.2 mm[.4 in]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Tray
------------------	------

Other

Grade	Instrumentation
-------	-----------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1825200-1  
MSSA245004=SW SLIDE, DP4T AG

TE Part # 1825200-2  
MSSA2450G04=SW SLIDE, DP4T AU

TE Part # 6-1437580-0  
MSSA2450RG=SLIDE 2 POLE / 4 PO

Also in the Series | Alcoswitch MSSA

Slide Switches(13)

Customers Also Bought

TE Part #1462043-6  
IME02TS=IM RELAY 140mW 4.5V 2NO

TE Part #3-1879208-7  
CPF 0402 330R 0.1% 25PPM 1K RL


TE Part #282836-8  
TERMI-BLOK PCB MOUNT 90 8P.

TE Part #1825263-1  
MSS225004=DPDT SL SW VERT AG





TE Part #5-1879214-3  
CPF 0402 1K21 0.1% 25PPM 1K RL



TE Part #1462041-5  
IMB02CTS=IM RELAY 140mW 4.5V HDV



TE Part #5-1462039-8  
IM02PNS=IM RELAY 140mW 4.5V



TE Part #1-5353190-0  
.6FHR04H,140,S,GIG,08/Sn,TR,NSYes



TE Part #5532903-2  
ASSY,RECPT,R.ANGLE,HDI,LEAD-FR



TE Part #530341-1  
BOX EST KEY PASSIVATED

Documents

Product Drawings

MSSA135004=SW SLIDE, SP3T AG

English

CAD Files

Customer View Model

ENG\_CVM\_CVM\_1825194-1\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_1825194-1\_A.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_CVM\_1825194-1\_A.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SWITCHES\_CORE\_PROGRAM\_CATALOG

English