

Product datasheet

Specifications



LoadCentre KQ - type A split metered distribution board - 125A - 14+14 SP ways

Local distributor code:

402651581

SEA14S14

 To be discontinued on: 31 Jan 2025

 To be discontinued

EAN Code: 5018934982717

Main

Range	Acti9
product name	Load centre KQ II A
Product or component type	Distribution board
Device application	Distribution
enclosure type	Split meter
Door type	Overall
Provided equipment	Enclosure Door Front cover Shielded neutral bar 25 mm ² Earth terminal block 25 mm ² Pan assembly Switch disconnecter - 125 A as incomer - 1 nos. Switch disconnecter as secondary incomer - 2 nos. Meter - 50 A - 2 nos.
Colour	Grey

Complementary

Enclosure mounting	Surface
[Ie] rated operational current	125 A at 230/240 V AC
protection device options	Miniature circuit breaker (MCB) (plug-on type) as outgoer Residual current circuit breaker with overcurrent protection (RCBO) (plug-on type) as outgoer
Number of ways	14 ways (1P)outgoer for power 14 ways (1P)outgoer for lighting
Cable entry	top and bottom: knock-out side: knock-out
Height	530 mm
Width	417 mm
Depth	139 mm

Environment

IP degree of protection	IP2x B internal conforming to BS EN 60529 IP3x external conforming to BS EN 60529
-------------------------	--

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 1	1
Package 1 Height	15.5 cm
Package 1 Width	49.0 cm
Package 1 Length	54.0 cm
Package 1 Weight	13.9 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	24
Package 2 Height	112.0 cm
Package 2 Width	100.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	353.6 kg

Contractual warranty

Warranty	18 months
----------	-----------


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	040eddb5-1b8d-4331-8a9c-151368ae1458
China RoHS Regulation	China RoHS declaration

Use Again



 Repack and remanufacture	
WEEE	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Halogen content performance	Halogen free plastic parts product
Take-back	No

Image of product / Alternate images

Alternative

