Printing date 07.08.2017

\*

Version: 1

Revision: 04.08.2017

| SECTION 1: Identification of the second s   | e substance/mixture and of the company/undertaking   |
|---|--|
| 1.1 Product identifier  |  |
| Trade name: <u>Zep Commercial® Scaffo</u>   | d Cleaner & Protector  |
| <b>Sector of Use</b><br>SU21 Consumer uses: Private househo   | ance or mixture and uses advised against<br>ds / general public / consumers<br>(administration, education, entertainment, services, craftsmen) |
| Application of the substance / the mixtu<br>Cleaner solvent<br>Protective coating   |  |
| 1.3 Details of the supplier of the safety<br>Manufacturer/Supplier:<br>ZEP UK Ltd<br>Tanhouse Lane<br>Widnes Cheshire, WA8 0RR<br>United Kingdom<br>Tel: +44 (0)151 422 1000<br>Fax: +44 (0)151 422 1011<br>@: info@zep.co.uk<br>web: www.zep.co.uk   | 'ata sheet   |
| ZEP Industries BV<br>Vierlinghweg 30<br>4612 PN Bergen op Zoom<br>The Netherlands<br>Tel: (NL) + 31 164 250 100 (B) + 32 2<br>Fax:(NL) + 31 164 266 710 (B) + 32 2<br>@: sales@zepbenelux.com   |  |
| ZEP ITALIA SRL<br>Via Netunese Km. 25.000<br>04011 Aprilia (LT) - Italy<br>Tel: +39.06.926691<br>Fax: +39.06.92747061<br>@: tecnico@zepeurope.com<br>Sito: www.zep.it   |  |
| <i>Further information obtainable from:</i><br><i>Customer Service</i><br><i>NL: Tel: + 31 164 250 100 Fax: + 31 16</i><br><i>B: Tel: +32 2 347 0117 Fax: +32 2 347</i><br><i>IT: Tel: +39 069 266 91Fax: +39 06.92</i><br><i>UK: Tel: +44 151 422 1000 Fax: +44 1</i><br><i>1.4 Emergency telephone number:</i><br><i>Customer Service</i><br><i>NL: Tel: +31 164 250 100 Fax: +31 16</i><br><i>B: Tel: +32 2 347 0117 Fax: +32 2 347</i><br><i>IT: Tel: +39 069 266 91Fax: +39 06.92</i><br><i>UK: Tel: +44 151 422 1000 Fax: +44 1</i> | 1395<br>7 470 61<br>51 422 1011<br>4 266 710<br>1395<br>7 470 61   |
|   |  |
| SECTION 2: Hazards identifica   | ion  |
| 2.1 Classification of the substance or m<br>Classification according to Regulation<br>Asp. Tox. 1 H304 May be fatal if swall  | (EC) No 1272/2008  |

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2) GB Printing date 07.08.2017

Version: 1

(Contd. of page 1)

Trade name: Zep Commercial® Scaffold Cleaner & Protector

· Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics Hazard statements

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P102 Keep out of reach of children.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

*P302+P352* IF ON SKIN: Wash with plenty of water/soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

• Additional information:

- EUH066 Repeated exposure may cause skin dryness or cracking.
- 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
- · Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

• *Description: Mixture of substances listed below with nonhazardous additions.* 

#### · Dangerous components:

| Dungerous components.         |  |        |
|-------------------------------|--|--------|
| EC number: 926-141-6          | <i>Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics</i> | 10-25% |
| Reg.nr.: 01-2119456620-43     | 🚸 Asp. Tox. 1, H304  |        |
| CAS: 110-25-8                 | oleoylsarcosine  | 0.1-1% |
| EINECS: 203-749-3             | 🤣 Eye Dam. 1, H318   |        |
|                               | Aquatic Acute 1, H400  |        |
|                               | Acute Tox. 4, H332; Skin Irrit. 2, H315  |        |
|                               | etergents Regulation 648/2004/EC   |        |
| For the wording of the listed | d hazard phrases refer to section 16.  |        |

Aliphatic hydrocarbons

≥30%

#### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- *If skin irritation continues, consult a doctor.*

Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 07.08.2017

Version: 1

Revision: 04.08.2017

(Contd. of page 2)

#### Trade name: Zep Commercial® Scaffold Cleaner & Protector

· 5.3 Advice for firefighters

• Protective equipment: No special measures required.

#### **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling Use only in well ventilated areas.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

- Wash hands before breaks and at the end of work.
- Respiratory protection:
- Filter AX

Not necessary if room is well-ventilated.

Protection of hands:



Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR PVA gloves

Printing date 07.08.2017

Version: 1

Revision: 04.08.2017

### Trade name: Zep Commercial® Scaffold Cleaner & Protector

· Not suitable are gloves made of the following materials: Strong material gloves

• Eye protection: Goggles recommended during refilling

· Body protection: Solvent resistant protective clothing

## **SECTION 9: Physical and chemical properties**

| SECTION 7. 1 hysical and chem                                      |   |
|--|---|
| • 9.1 Information on basic physical and c<br>• General Information | hemical properties                            |
| · Appearance:  |   |
| Form:  | Liquid  |
| Colour:  | Dark blue                                     |
| · Odour:   | Nearly odourless                              |
| · Change in condition  |   |
| Melting point/freezing point:                                      | Undetermined.                                 |
| Initial boiling point and boiling range                            | :: 235°C                                      |
| · Flash point:   | 80°C  |
| · Flammability (solid, gas):                                       | Not applicable.                               |
| · Ignition temperature:  | 210°C   |
| • Decomposition temperature:                                       | Not determined.                               |
| • Auto-ignition temperature:                                       | Product is not selfigniting.                  |
| • Explosive properties:  | Product does not present an explosion hazard. |
| • Explosion limits:  |   |
| Lower:   | 0.6 Vol %                                     |
| Upper:   | 6 Vol %                                       |
| · Vapour pressure at 20°C:   | 0.1 hPa                                       |
| Density at 20°C:   | $0.88 \ g/cm^3$                               |
| · Relative density   | Not determined.                               |
| Vapour density   | Not determined.                               |
| · Evaporation rate   | Not determined.                               |
| Solubility in / Miscibility with                                   |   |
| water:   | Insoluble.                                    |
| • Partition coefficient: n-octanol/water:                          | Not determined.                               |
| · Viscosity:   |   |
| Dynamic:   | Not determined.                               |
| Kinematic:   | Not determined.                               |
| · Solvent content:   |   |
| Organic solvents:  | 19.5 %  |
| Swiss VOC:   | 0.00 %  |
| Solids content:  | 0.0 %   |
| 9.2 Other information  | No further relevant information available.    |
| - · · <b>/</b> · · · · · · ·                                       | <i>y y</i> -                                  |

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

GB

(Contd. of page 3)

Printing date 07.08.2017

Version: 1

Revision: 04.08.2017

Trade name: Zep Commercial® Scaffold Cleaner & Protector

(Contd. of page 4)

| . 11 1 Infor   | N 11: Toxicological inforn   | nation   |
|--|--|--|
| 11.1 11101   | nation on toxicological effects  |  |
| • Acute toxi   | <b>rity</b> Based on available data, the o   | classification criteria are not met.   |
| · LD/LC50  | values relevant for classification:  |  |
| Hydrocarb  | ons, C11-C14, n-alkanes, isoalka   | anes, cyclics, <2% aromatics   |
| Oral   | LD50 >5,000 mg/kg (Rat) (0   | OECD 401)  |
| Dermal   | LD50 >5,000 mg/kg (Rabbi   | t) (OECD 402 (24 h))   |
| Inhalative   | LC50/8 h > 5,000 mg/m3 (Rat)   | (OECD 403)   |
|  | ritant effect:   |  |
|  |  | e data, the classification criteria are not met.   |
|  |  | ilable data, the classification criteria are not met.<br>wailable data, the classification criteria are not met. |
|  | ts (carcinogenity, mutagenicity a  |  |
| · Germ cell  | mutagenicity Based on available  | data, the classification criteria are not met.   |
|  |  | e classification criteria are not met.   |
|  |  | tta, the classification criteria are not met.<br>lata, the classification criteria are not met.                  |
|  |  | e data, the classification criteria are not met.   |
| · Aspiration   | hazard   |  |
| May be fat   | al if swallowed and enters airway  | S.   |
|  |  |  |
| <b>SECTIO</b>  | N 12: Ecological information   | ion  |
|  |  |  |
| • 12.1 Toxic   | -  |  |
| · Aquatic to   | •  |  |
| -  | ons, C11-C14, n-alkanes, isoalka   | -  |
| EL50 (48 )   |  | ngna (water flea)) (OECD 202)  |
| OECD test  | 301 F 69 % (biodegradation in 9<br>Readily Biodegradable   | % after 28 days)   |
| · 12 2 Porsi   |  | er relevant information available.   |
|  | cumulative potential No further r  |  |
| · 12.4 Mobi  | ity in soil No further relevant info   |  |
|  | ecological information:  | wat on lange quantities of it to use ab ground water water source on sources motor                               |
|  | tes: Do not allow unalluled prod<br>ts of PBT and vPvB assessment  | uct or large quantities of it to reach ground water, water course or sewage system                               |
| · PBT: Not   |  |  |
| • vPvB: Not  | applicable.  |  |
| • 12.6 Other   | adverse effects No further releva  | nt information available.  |
|  |  |  |
| SECTIO   | N 13: Disposal considerati   |  |
|  | treatment methods  | disposed of with household wants   |
| • 13.1 Waste   | dation Small   | aisposea oj wiin nousenoia wasie.  |
| · 13.1 Waste<br>· Recommen   | dation Smaller quantities can be   |  |
| · 13.1 Waste<br>· Recommen<br>· Uncleanea  | packaging:   |  |
| · 13.1 Waste<br>· Recommen<br>· Uncleanea  | -  |  |
| · 13.1 Wasto<br>· Recommen<br>· Uncleanea<br>· Recommen  | packaging:   | according to official regulations.   |
| <ul> <li>13.1 Wasta</li> <li>Recomment</li> <li>Uncleanea</li> <li>Recomment</li> <li>SECTIO</li> <li>14.1 UN-N</li> </ul>   | packaging:<br>dation: Disposal must be made a<br>N 14: Transport information   | according to official regulations.   |
| <ul> <li>13.1 Wasta</li> <li>Recomment</li> <li>Uncleanea</li> <li>Recomment</li> <li>SECTIO</li> <li>14.1 UN-N</li> <li>ADR, ADN</li> <li>14.2 UN p.</li> </ul>                                       | packaging:<br>dation: Disposal must be made a<br>N 14: Transport information<br>fumber<br>J, IMDG, IATA<br>roper shipping name                 | on<br>Void   |
| <ul> <li>13.1 Wasta</li> <li>Recomment</li> <li>Uncleanea</li> <li>Recomment</li> <li>SECTIO</li> <li>14.1 UN-N</li> <li>ADR, ADN</li> <li>14.2 UN p.</li> <li>ADR, ADN</li> </ul>                     | packaging:<br>dation: Disposal must be made a<br>N 14: Transport information<br>umber<br>J, IMDG, IATA<br>roper shipping name<br>J, IMDG, IATA | according to official regulations.   |
| <ul> <li>13.1 Wasta</li> <li>Recomment</li> <li>Uncleanea</li> <li>Recomment</li> <li>SECTIO</li> <li>14.1 UN-N</li> <li>ADR, ADN</li> <li>14.2 UN p.</li> <li>ADR, ADN</li> </ul>                     | packaging:<br>dation: Disposal must be made a<br>N 14: Transport information<br>fumber<br>J, IMDG, IATA<br>roper shipping name                 | on<br>Void   |
| <ul> <li>13.1 Wasta</li> <li>Recomment</li> <li>Uncleanea</li> <li>Recomment</li> <li>SECTIO</li> <li>14.1 UN-N</li> <li>ADR, ADN</li> <li>14.2 UN p.</li> <li>ADR, ADN</li> <li>14.3 Trans</li> </ul> | packaging:<br>dation: Disposal must be made a<br>N 14: Transport information<br>umber<br>J, IMDG, IATA<br>roper shipping name<br>J, IMDG, IATA | on<br>Void   |

Printing date 07.08.2017

Version: 1

Revision: 04.08.2017

Trade name: Zep Commercial® Scaffold Cleaner & Protector

|  |  | (Contd. of page 5) |
|--|--|--------------------|
| · 14.4 Packing group<br>· ADR, IMDG, IATA                      | Void                                   |                    |
| · 14.5 Environmental hazards:                                  | Not applicable.                        |                    |
| · 14.6 Special precautions for user                            | Not applicable.                        |                    |
| • 14.7 Transport in bulk according to Annex II of the IBC Code | <b>f Marpol and</b><br>Not applicable. |                    |
| · UN "Model Regulation":                                       | Void                                   |                    |

## **SECTION 15: Regulatory information**


15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Reg. (EC) n. 1272/2008 - CLP;
Reg. (EC) n. 1907/2006 - Reach;
Reg. (EC) n. 2015/830 annex II of REACH;
Reg. (EC) n. 648/04 (Detergents);
Reg. (EC) n. 528/12 (Biocides BPR);
Reg. (EC) n. 1223/2009 (Cosmetics);
Dir. 06/08 ADR - RID - IMDG - IATA;
Dir. 47/08 (Aerosols); Dir. 12/18 (Seveso III);
Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

· Directive 2012/18/EU

- Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

• Technical instructions (air):



Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

```
· Relevant phrases
 H304 May be fatal if swallowed and enters airways.
 H315 Causes skin irritation.
H318 Causes serious eve damage.
 H332 Harmful if inhaled.
 H400 Very toxic to aquatic life.
Department issuing SDS:
 Customer Service
 NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710
 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395
IT: Tel: +39 069 266 91Fax: +39 06.927 470 61
 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011
Contact:
Customer Service
NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710
 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395
 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61
 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011
Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods
 by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
```

Printing date 07.08.2017

Version: 1

Revision: 04.08.2017

#### Trade name: Zep Commercial® Scaffold Cleaner & Protector

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 • \* Data compared to the previous version altered.

(Contd. on page 8)

GB

(Contd. of page 6)

Version: 1

Revision: 04.08.2017

# Trade name: Zep Commercial® Scaffold Cleaner & Protector

(Contd. of page 7)

| An  | nnex: Exposure scenario  |
|-----|--|
|     | ort title of the exposure scenario   |
|     | r the finished product.  |
|     | o Commercial® Sacaffold Cleaner & Protector  |
|     | ctor of Use  |
|     | 21 Consumer uses: Private households / general public / consumers  |
|     | 22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)  |
|     | scription of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Shee  |
|     | nditions of use  |
|     | ration and frequency 5 workdays/week.  |
|     | ysical parameters  |
|     | ysical state Fluid   |
|     | ncentration of the substance in the mixture The substance is main component.   |
|     | ed amount per time or activity   |
|     | cording to directions for use.   |
|     | aller than 10 g per application.   |
|     | her operational conditions   |
|     | <b>her operational conditions affecting environmental exposure</b> No special measures required.<br><b>her operational conditions affecting consumer exposure</b> Keep out of the reach of children. |
|     | her operational conditions affecting consumer exposure during the use of the product Not applicable.   |
|     | k management measures  |
|     | whanagement measures<br>wrker protection   |
|     | ganisational protective measures No special measures required.   |
|     | chnical protective measures is special measures required.  |
|     | rsonal protective measures   |
|     | not inhale gases / fumes / aerosols.   |
|     | otective gloves  |
|     | ection of the glove material on consideration of the penetration times, rates of diffusion and the degradation   |
|     | asures for consumer protection Ensure adequate labelling.  |
|     | vironmental protection measures  |
|     | ter No special measures required.  |
|     | posal measures Ensure that waste is collected and contained.   |
| Dis | <i>posal procedures</i> Must not be disposed together with household garbage. Do not allow product to reach sewage system.   |
|     | iste type Partially emptied and uncleaned packaging  |
| Gu  | idance for downstream users No further relevant information available.   |