

Product datasheet

Specifications



Transp door S3X 304L 1000x800mm

Local distributor code:
398246615

NSYDS3X108T

EAN Code: 3606480468599

Main

Range	PanelSeT
Accessory / separate part category	Enclosure accessory
Product or component type	Door
Application	Multi-purpose
For enclosure nominal dimensions	-
Mounting location	Front
Range compatibility	PanelSeT S3X
Device composition	1 door locking system
Quantity per set	Set of 1

Complementary

Material	Door: stainless steel 304L
Surface finish	Scotch-Brite® brushed
Lock type	Lock 3 mm double bar
Number of locks	2
Door type	Transparent
Door opening side	Reversible (120 °)
Height	1000 mm
Width	800 mm
Net weight	13.76 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.000 cm
Package 1 Width	83.000 cm
Package 1 Length	102.500 cm
Package 1 Weight	10.730 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	6
Package 2 Height	45.000 cm

Package 2 Width	100.000 cm
-----------------	------------

Package 2 Length	120.000 cm
------------------	------------

Package 2 Weight	78.380 kg
------------------	-----------

Logistical informations

Country of origin	BG
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number

E893f0a0-d2cc-4011-9425-3873dde70142

REACH Regulation

[REACH Declaration](#)

Use Again

Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No