

ClimaSys PTC heating resistance 350-550W, 120V insulate thermoventilator

Local distributor code: 398243430

NSYCRP1W120VTVC

EAN Code: 3606480152375

Main

Range	ClimaSys	
product name	ClimaSys CR	
Product or component type	Resistance heater with fan and thermostat	
Power range	400550 W	
Input voltage	120 V AC 50/60 Hz	
Electrical connection	2 screw terminals 2.5 mm ²	

Complementary

Operating position	Vertical	
Ambient air temperature for operation	-4070 °C	
Temperature setting range	060 °C	
IP degree of protection	IP20	
Product certifications	UL VDE	
Height	220 mm	
Width	150 mm	
Depth	150 mm	
Condition of use	Electrical protection is needed Heaters must be installed with a thermal controller Air sealed enclosure	
Fixing mode	By clips	
Mounting support	35 mm DIN rail	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	22.000 cm
Package 1 Width	15.000 cm
Package 1 Length	15.000 cm
Package 1 Weight	1.020 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	32.000 cm

Package 2 Width	40.000 cm
Package 2 Length	59.000 cm
Package 2 Weight	10.820 kg
Unit Type of Package 3	P12
Number of Units in Package 3	80
Package 3 Height	81.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	101.800 kg

Logistical informations

Country of origin FR

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability

Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	60bb7229-9ac3-41cb-896e-a93aa448ebf8
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins