

## CGS | CGS BDS

TE Internal #: 1-1614770-4

220 ohm Chassis Mount Resistor, 250 W, Thick Film, 2 Terminations, ±150 ppm/°C, 10 %, Screw Terminals, Loose Piece - Tray, CGS BDS

View on TE.com >



Passive Components > Resistors > Chassis Mount Resistors > Resistor Power BDS2A – High Power











Resistor Type: Power Resistor

Resistance Class: Up to  $1k\Omega$ Resistance Value: 220  $\Omega$ 

Power Rating: 250 W

Element Type: Thick Film

All Resistor Power BDS2A – High Power (108)

# Features

#### **Product Type Features**

Froduct Type realures	
Resistor Type	Power Resistor
Element Type	Thick Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Resistance Class	Up to $1k\Omega$
Resistance Value	220 Ω
Power Rating	250 W
Passive Component Tolerance	10 %
Termination Features	
Number of Terminations	2

Screw Terminals

Chassis Mount Resistor Termination Type



Panel Mount Feature Type	Flange with Mounting Holes
Dimensions	
Product Height	36 mm[1.417 in]
Product Length	67 mm[2.638 in]
Product Width	60.25 mm[2.372 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C
Temperature Coefficient	±150 ppm/°C
Packaging Features	
Packaging Method	Loose Piece - Tray

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (33.3% in component part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach




# Compatible Parts





# Also in the Series | CGS BDS



# Customers Also Bought















## **Documents**

Product Drawings
BDS 2 A 250 220R 10%

English

**CAD Files** 



3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1-1614770-4\_S.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-1614770-4\_S.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-1614770-4\_S.2d\_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

4-1773460-6\_RESISTIVE\_SOLUTIONS\_RAIL

English

1309350\_PASSIVE\_COMPONENT

English

Thick Film Power Resistors - Type BDS250/400 Series

English

8-1773459-4\_POWER\_FILTERING\_AND\_RESISTIVE\_SOLUTIONS\_FOR\_ELEVATORS\_AND\_ESCALATORS

English