# HT-SCE-1K-1-2.0-0 ✓ ACTIVE

### HT-SCE

TE Internal #: 544030-000

Ladder, High Temperature, 2:1, Black, 50.8 mm [2 in] Length, 25.4 mm [1 in] Expanded Inside, Shrinks To 12.7 mm [.5 in], HT-SCE,

Printable Tubing
View on TE.com >



Identification & Labeling > Printable Tubing > HT-SCE High Temperature Sleeves



Printable Tubing Type: Ladder

Printable Tubing Grade: High Temperature

Shrink Ratio: 2:1

Primary Product Color: Black
Product Length: 50.8 mm [2 in]

All HT-SCE High Temperature Sleeves (51)

### **Features**

### **Product Type Features**

Printer/Label Features

Printer Technology

**Packaging Features** 

Product Type reatures	
Printable Tubing Type	Ladder
Printable Tubing Grade	High Temperature
Body Features	
Shrink Ratio	2:1
Primary Product Color	Black
Dimensions	
Product Length	50.8 mm[2 in]
Expanded Inside Diameter (Min)	25.4 mm[1 in]
Recovered Inside Diameter (Max)	12.7 mm[.5 in]
Compatible Cable Diameter Range	12.7 – 20.32 mm[.5 – .8 in]
Usage Conditions	
Operating Temperature Range	-55 – 225 °C[-67 – 437 °F]

Thermal Transfer



Packaging Quantity	1000
--------------------	------

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts















## Also in the Series | HT-SCE




# Customers Also Bought




TE Part #5470244007 CONVOLEX-1/2-0-SP



TE Part #5470224008 CONVOLEX-3/8-0-SP











TE Part #CAT-T3437-D1 D-SCE Fluid Resistant Sleeves



TE Part #5039264026 DR-25-3/8-0-SP



TE Part #878500-000 202K185-25-0





S1125-KIT-1

Ladder, High Temperature, 2:1, Black, 50.8 mm [2 in] Length, 25.4 mm [1 in] Expanded Inside, Shrinks To 12.7 mm [.5 in], HT-SCE, Printable Tubing



## **Documents**

## Datasheets & Catalog Pages

HT-SCE High Temperature Heat Shrink Identification System

English

**Product Specifications** 

IDENTIFCATION PRINTER PRODUCT RIBBON MATRIX

English

**Instruction Sheets** 

Instruction Sheet (non U.S.)

English