

# **ULTRANEO 414**

Prolonged contact (or immersion) | short wear

## Ultra-high performance chemical protection

CHEMICAL PROTECTION **TYPE A** 

### EN388



TYPE A

EN ISO 374-1



**CATEGORY 3** 

**DEXTERITY** EN420:

5/5

EN ISO 374-5



0334

# SPECIFIC ADVANTAGES

## **Productivity**

Good grip due to the embossed texture



## Skin protection

 Broad chemical resistance (acids, aliphatic solvents, solvent mixtures), increased by the thickness of the material



## (🙎) Guaranteed quality

• Silicone free to prevent traces, defects on metal sheet and glass prior to painting



## **Practical**

• Easy to pull on and off, due to chlorinated interior

## **INDUSTRIES**

- Mechanical industry
- Chemical industry

## **APPLICATIONS**

- Etching / degreasing
- Surface treatment of metals (acids)
- Galvanoplasty
- Handling and transporting drums of chemical products
- Handling on alkylation units
- Site pollution control

Edit 15/01/2025

# **ULTRANEO 414**

Prolonged contact (or immersion) | short wear

# LEGENDS

EN388

**MECHANICAL HAZARDS** 



PERFORMANCE LEVELS (X = NOT

2 1 1 1 X 0-4 0-5 0-4 0-4 A-F Impact protection (optional) Cut resistance according to ISO 13997 Puncture resistance

EN ISO 374-1

Abrasion resistance

### **CHEMICAL RISKS**

Tear resistance Blade cut resistance



TYPE A

A: Methanol

- C: Acetonitrile
- J: n-Heptane
- L: Sulphuric acid 96%
- M: Nitric acid 65%
- N: Acetic acid 99%
- S: Hydrofluoric acid 40%

## EN ISO 374-5

### MICRO-ORGANISMS

Protection against bacteria and fungi

# PRODUCT DETAILS

Interior finish	Chlorinated
Exterior finish	Embossed texture
Material	Polychloroprene
Cuff characteristic	Straight cuff
Colour.s	Black
Length (cm)	46
Thickness (mm)	0.75
European sizes	9 10
Surface resistance according to EN1149-1 (Value in palm area at 25% relative humidity)	1.6E+11 Ω
Vertical resistance according to EN1149-2 (Value in palm area at 25% relative humidity)	3.1E+10 Ω

# LOGISTIC DETAILS

Packaging	1 pair/bag 12 pairs/carton
-----------	-------------------------------

## **LEGISLATION**

- This product is not classified hazardous according to the regulation (EC) n°1272/2008 of the European Parliament and of the Council.
- This product does not contain more than 0.1 % of substance of very high concern (SVHC) or any substance included in the annex XVII of the regulation no 1907/2006 of the European Parliament and of the Council (REACH).
- type certificate or CE type examination certificate: 0075/014/162/10/18/2085
- Issued by the notified body nr: 0075 CTC 4, rue Hermann Frenkel 69367 Lyon Cedex 07- FRANCE
- Quality assurance certificat: 0334 Asqual 14 rue des Reculettes -75013 Paris -France

