

## **Features**

- Rated currents up to 3A
- Fast-on (6.35\*0.8mm)
- The compact size can be applied to various situations.
- Enhanced filtering performance

## **RS PRO EMI Filters**

RS Stock No.: 286-7291



RS PRO is the own brand of RS. The RS PRO Seal of Approval is your assurance of professional quality, a guarantee that every part is rigorously tested, inspected, and audited against demanding standards. Making RS PRO the Smart Choice for our customers.

## **Power Line Filters**



### **Product Description**

High performance single phase chassis mount EMI filter Applications:

- Electrical and electronic equipment
  - Medical equipment
  - Office automation equipment
- New energy equipment, Communication equipment;

### **General Specifications**

The compact size can be applied to various situations.

This filter is also available as two-stage filters in noisy environment.

## **Electrical Specifications**

Size(Length\*Width\*Height) 63\*51\*29mm

Weight 0.16kgs

Mounting Hole Spacing 75mm

## **Power Line Filters**



#### **Mechanical Specifications**

Rated Voltage Max. 115/250VAC

Rated currents 3A

*Operating frequency* 50/60Hz

Hipot Rating Line to Ground 2250VDC Line to Line 400VDC

*Temperature range* | -25°C~+85°C

Leakage current 0.4mA/0.8mA

Inductance L: 2x13.5mH\*2;

Capacitance | Cx: 0.33uF; Cy1:2200pF\*2; Cy2:1000pF\*2;

Resistance R:470K ohm; MOV;

## **Protection Category**

*IP Rating* IP40

## **Approvals**

**Declarations** UL CE UKCA REACH ROHS


Safety Standard UL/EN 60939, UL1283; CSA C22.2 No.8;

## **Similar Products**


Stock No.	Brand	Phase Type	Mounting	Current	Dimension
237-8720	RS PRO	Single phase	Chassis mounting	6A	63*51*29mm



### **Physical Dimensions (Unit:mm)**



## **Electrical Schematic**



# **Power Line Filters**



Insertion loss( IN 50ohm system according IEC/CISPR NO.17)

\_\_\_\_\_Common mode ------Differential mode

