TE Internal #: 1057230-1

TE Internal Description: SCD,4522 5018 02,BMA

View on TE.com >



Connectors > RF Connectors > Coax Connectors



RF Interface: OSP

RF Connector Style: Jack

RF Connector Mated Outer Diameter (Approximate): 7.62 mm [.3 in]

Impedance: 50Ω

Compatible With RF Cable Type: RG 405 Semi-Rigid

Features

Product Type Features

RF Interface	OSP
RF Connector Style	Jack
Compatible With RF Cable Type	RG 405 Semi-Rigid
Connector System	Cable-to-Panel
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	1
Number of Coaxial Contacts	1

Electrical Characteristics

Impedance	50 Ω	

Body Features

Cable Connector Orientation	Straight
Body Material	Stainless Steel
Body Material Finish	Plated
Body Plating Material	Gold

Contact Features

RF Connector Center Contact Plating Material	Gold (Au)
RF Connector Center Contact Material	Beryllium Copper

Termination Features



Termination Method to Wire & Cable	Solder
Mechanical Attachment	
Panel Attachment Style	Rear Mount
RF Connector Coupling Mechanism	Push-On
Connector Mounting Type	Panel Mount
RF Contact Captivation Method	Ероху
Detent	Without
Dimensions	
RF Connector Mated Outer Diameter (Approximate)	7.62 mm[.3 in]
Operation/Application	
Operating Frequency	22 GHz
Packaging Features	
Packaging Method	Carton
Other	
Dielectric Material	TFE Fluorocarbon

Product Compliance

For compliance documentation, visit the product page on TE.com>

ns
าร
e Threshold
List: JAN 2025 Against: JAN 2021 Tt) ct. Wash thoroughly after ricle by following all applicable phic location.
r and Cl < 900 Iterial. Also BFR
orocess capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought





















Documents

Product Drawings SCD,4522 5018 02,BMA

English

SCD,4522 5018 02,BMA

English

CAD Files



3D PDF

3D

Customer View Model

ENG_CVM_CVM_1057230-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1057230-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1057230-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Instruction Sheets

Instruction Sheet (U.S.)

English

OSP Floating Panel Feedthrough Cable Jack Direct Solder Attachment 1084859-1, 1059494-1, 1057230-1, 1059499-1, 1059835-1, 1059501-1, 1059503-1, 1044851-1, and 1059506-1

English