

Product datasheet

Specifications



19" telescopic shelf 2U on 2 uprights D250 with permissive load 20Kg

Local distributor code:

398254474

NSYBT2U25P

EAN Code: 3606480172717

Main

Range of product	Actassi
Product or component type	Telescopic perforated shelf
Device application	Multi-purpose Electronic application
Colour	Grey (RAL 7035)
Quantity per set	Set of 1

Complementary

Range compatibility	Actassi VDA Actassi VDS
Material	Sheet steel
Surface finish	Epoxy-polyester powder
Mounting support	19" rack, front or rear
Product compatibility	PanelSeT SF-S PanelSeT SF-E PanelSeT VDM PanelSeT PLA
Device composition	1 shelf 2 telescopic guide
Fixing mode	By 19" fixing element: 19" uprights of rack
Number of rack unit	2U
Permanent permissible load	5 kg
Number of units 19"	2
Height	88.9 mm
Width	465 mm
Depth	250 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.000 cm
Package 1 Width	28.000 cm
Package 1 Length	51.500 cm
Package 1 Weight	3.586 kg

Unit Type of Package 2	PAL
Number of Units in Package 2	48
Package 2 Height	72.000 cm
Package 2 Width	105.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	185.000 kg

Contractual warranty

Warranty (in months)	18
-----------------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number

67feaae3-1a02-4290-bfbd-a29ec2a78217

REACH Regulation

[REACH Declaration](#)

Use Longer

Lifetime extension

Repair

No

Use Again

Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No