

Product data sheet

Specifications



Repacked, spreader, Resi9, 13 Modules, top cable entry

R9H13540W



This repacked option saves 2.447 over the standard condition

Main

Product or component type	Spreader
Accessory / separate part category	Trunking accessory
Range compatibility	Opale enclosure Resi9 enclosure
Cabling installation system	Housing wall trunking
Number of 18 mm modules per row	13
Product destination	For floor For ceiling
Standards	NF EN 50085-2-1 NFC 15-100

Complementary

Material	Plastic satin
Fire resistance	750 °C conforming to EN/IEC 60695-2-11
Quantity per set	Set of 1
IP degree of protection	IP40 conforming to EN/IEC 60529
IK degree of protection	IK08 conforming to IEC 62262 IK08 conforming to EN 50102
Depth	160 mm
Height	220 mm
Width	380 mm
Colour tint	White (RAL 9003)

Environment

Ambient air temperature for operation	-15...60 °C
---------------------------------------	-------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	16.000 cm
Package 1 Width	27.000 cm
Package 1 Length	41.000 cm
Package 1 Weight	682.000 g
Unit Type of Package 2	S04

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 2	2
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	2.114 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Lower carbon footprint

2 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins