



DELTA pushbutton device insert, UP with continuous lighting 1 change-over contact, with N terminal without claws 10A 250V

Model	
product brand name	DELTA
product designation	Pushbutton insert
design of the product	single pushbutton
design of the switching function	1 changeover contact
type of composition	base element
design of the actuating element	pushbutton/momentary pushbutton
General technical data	
printed marking	Without
mounting type	flush mounting
surface processing	others
material	others
Supply voltage	
operating voltage rated value	250 V
Protection class	
protection class IP	IP20
Breaking Capacity	
switching capacity current	10 A
Main circuit	
operational current rated value	10 A
Appearance	
appearance	not applicable
color	miscellaneous
Product details	
product component	
• labeling field	No
• integrated light source	Yes
• signaling contact	No
number of NC contacts	0
number of NO contacts	0
number of CO contacts	1
product feature	
• halogen-free	Yes
• transparent	No
Number	
number of actuating rockers	1
Mechanical Design	
height	70 mm
width	70 mm
depth	32 mm

fastening method	screw fixing	
material of the enclosure	metal	
Environmental footprint		
Environmental Product Declaration(EPD)	Yes	
global warming potential [CO2 eq] total	4.86 kg	
global warming potential [CO2 eq] during manufacturing	0.353 kg	
global warming potential [CO2 eq] during operation	4.49 kg	
global warming potential [CO2 eq] after end of life	0.016 kg	
Approvals Certificates		
General Product Approval	other	Environment



[Confirmation](#)



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TD2117-0KK>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TD2117-0KK>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TD2117-0KK

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

4/4/2025 

