

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name:** FUCHS FLT LUBE

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Lubricant

**Uses advised against:** No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer / Supplier** FUCHS LUBRICANTS (UK) PLC.

New Century Street

ST1 5HU Hanley

**Telephone:** +44 (0) 1782 203700

**Contact Person:**

Product Safety department

**E-mail:** product.safety@fuchs.com

**Telephone:** +44 (0) 1782 203700

**1.4 Emergency telephone number:** UK NHS: Dial 111

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation GB-CLP.

##### Classification according to GB-CLP.

##### Physical Hazards

Aerosols

Category 1

H222: Extremely flammable aerosol.

H229: Pressurized container: May burst if heated.

##### Health Hazards

Specific Target Organ Toxicity -  
Repeated Exposure

Category 2

H373: May cause damage to organs through  
prolonged or repeated exposure.

##### Environmental Hazards

Chronic hazards to the aquatic  
environment

Category 3

H412: Harmful to aquatic life with long lasting  
effects.

##### Hazard summary

**Physical Hazards:** Flammable aerosol.

#### 2.2 Label Elements

**Product name:** FUCHS FLT LUBE

---

**Contains:** White spirit, low viscous



**Signal Words:** Danger

**Hazard Statement(s):** H222: Extremely flammable aerosol.  
H229: Pressurized container: May burst if heated.  
H373: May cause damage to organs through prolonged or repeated exposure.  
H412: Harmful to aquatic life with long lasting effects.

#### Precautionary Statements

**Prevention:** P102: Keep out of reach of children.  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211: Do not spray on an open flame or other ignition source.  
P251: Do not pierce or burn, even after use.  
P260: Do not breathe dust/fume/gas/mist/vapors/spray.  
P273: Avoid release to the environment.

**Storage:** P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

**Disposal:** P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Supplemental label information

EUH208: Contains: amine phosphate. May produce an allergic reaction.

**2.3 Other hazards:** By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

**General information:** Mixture of components with propellant in aerosol can.

**Product name:** FUCHS FLT LUBE

Chemical name	Identifier	Concentration *	UK-REACH Regis- tration No.	Notes
Butane	EINECS: 203-448-7	0% - <100,00%		
Propane	EINECS: 200-827-9	0% - <100,00%		
Isobutane (<0,1% 1,3-butadiene)	EINECS: 200-857-2	0% - <100,00%		
Hydrocarbons, low viscous	EC: 921-024-6	5,00% - <10,00%		
White spirit, low viscous	EC: 919-164-8	1,00% - <5,00%		
amine phosphate	EC: 931-384-6	0,10% - <1,00%		
alkenyl amine, long-chain	EC: 627-034-4	0,01% - <0,25%		

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

### Classification

Chemical name	Identifier	Classification	
Butane	EINECS: 203-448-7	GBCLP:	Flam. Gas 1A;H220, Press. Gas Compr. Gas;H280
Propane	EINECS: 200-827-9	GBCLP:	Flam. Gas 1A;H220, Press. Gas Compr. Gas;H280
Isobutane (<0,1% 1,3-butadiene)	EINECS: 200-857-2	GBCLP:	Flam. Gas 1A;H220, Press. Gas Compr. Gas;H280
Hydrocarbons, low viscous	EC: 921-024-6	GBCLP:	Flam. Liq. 2;H225, Asp. Tox. 1;H304, Skin Irrit. 2;H315, STOT SE 3;H336, Aquatic Chronic 2;H411
White spirit, low viscous	EC: 919-164-8	GBCLP:	Asp. Tox. 1;H304, Aquatic Chronic 3;H412, STOT RE 1;H372 EUH066
amine phosphate	EC: 931-384-6	GBCLP:	Acute Tox. 4;H302, Eye Dam. 1;H318, Skin Sens. 1B;H317, Aquatic Chronic 2;H411
alkenyl amine, long-chain	EC: 627-034-4	GBCLP:	Acute Tox. 4;H302, Asp. Tox. 1;H304, STOT SE 3;H335, STOT RE 2;H373, Skin Corr. 1B;H314, Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Eye Dam. 1;H318; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 10

GB-CLP

### specific concentration limit

Chemical name	Identifier	specific concentra- tion limit	Hazard class	Hazard Category	Hazard state- ments
amine phosphate	EC: 931-384-6	>= 9,39 %	Skin sensitizer	1B	H317
		> 50 %	Serious eye damage	1	H318
		> 50 %	Serious eye irritation	2	H319

For the wording of the listed hazard statements refer to section 16.

## SECTION 4: First aid measures

### General:

Instantly remove any clothing soiled by the product.

**Product name:** FUCHS FLT LUBE

---

#### 4.1 Description of first aid measures

<b>Inhalation:</b>	Supply fresh air; consult doctor in case of symptoms.
<b>Eye contact:</b>	Promptly wash eyes with plenty of water while lifting the eye lids.
<b>Skin Contact:</b>	Wash with soap and water.
<b>Ingestion:</b>	Rinse mouth thoroughly.

**4.2 Most important symptoms and effects, both acute and delayed:** Dizziness Freeze burns

**4.3 Indication of any immediate medical attention and special treatment needed** Get medical attention if symptoms occur.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

<b>Suitable extinguishing media:</b>	CO <sub>2</sub> , fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added
<b>Unsuitable extinguishing media:</b>	Water with a full water jet.

**5.2 Special hazards arising from the substance or mixture:** Danger of explosion with aerosol cans.

#### 5.3 Advice for firefighters

<b>Special fire-fighting procedures:</b>	Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.
<b>Special protective equipment for fire-fighters:</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

### SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures:** Not required.

**6.2 Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

**Product name:** FUCHS FLT LUBE

**6.3 Methods and material for containment and cleaning up:**

Scrape up spillage or absorb with absorbing material. Stop the flow of material, if this is without risk. Dispose of the material collected according to regulations.

**6.4 Reference to other sections:**

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

**SECTION 7: Handling and storage:**

**7.1 Precautions for safe handling:**

Avoid contact with flame and heat source, prevent contact with direct sunlight Use only in well-ventilated areas.

**7.2 Conditions for safe storage, including any incompatibilities:**

Local regulations concerning handling and storage of waterpolluting products have to be followed. Local regulations for the storage and handling of aerosol cans and flammable liquids have to be kept. Keep away from heat/sparks/hot surfaces. - No smoking.

**7.3 Specific end use(s):**

Not applicable

**Storage Class:**

2 B, Aerosols

**SECTION 8: Exposure controls/personal protection**

**8.1 Control Parameters**

**Occupational Exposure Limits**

Chemical name	Type	Exposure Limit Values	Source
Butane	TWA	600 ppm 1.450 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Butane	STEL	750 ppm 1.810 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)

**8.2 Exposure controls**

**Appropriate engineering controls:**

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment**

**General information:**

Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

**Eye/face protection:**

Safety glasses (EN 166) recommended during refilling.

**Product name:** FUCHS FLT LUBE

**Skin protection**

**Hand Protection:**

Material: Nitrile butyl rubber (NBR).  
Min. Breakthrough time:  $\geq 480$  min  
Recommended thickness of the material:  $\geq 0,38$  mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Other:**

Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

**Respiratory Protection:**

Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.

**Thermal hazards:**

Not known.

**Hygiene measures:**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

**Environmental Controls:**

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance**

**Physical state:**

Aerosols

**Form:**

Aerosols

**Color:**

Brown

**Odor:**

Characteristic

**pH:**

substance/mixture is non-soluble (in water)

**Freezing point:**

not determined

**Boiling Point:**

not determined

**Flash Point:**

Value not relevant for classification

**Evaporation Rate:**

Not applicable for mixtures

**Flammability (solid, gas):**

not determined

**Flammability Limit - Upper (%)—:**

Not applicable for mixtures

**Flammability Limit - Lower (%)—:**

Not applicable for mixtures

**Vapor pressure:**

Not applicable for mixtures

**Relative vapor density:**

Not applicable for mixtures

**Density:**

0,68 g/cm<sup>3</sup> (15 °C)

**Solubility(ies)**

**Solubility in Water:**

Insoluble in water

**Solubility (other):**

No data available.

Product name: FUCHS FLT LUBE

Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	not determined
Decomposition Temperature:	not determined
Flow time	Value not relevant for classification
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
Particle characteristics:	Not applicable
9.2 Other information	No data available.

#### SECTION 10: Stability and reactivity

10.1 Reactivity:	Stable under normal use conditions.
10.2 Chemical Stability:	Stable under normal use conditions.
10.3 Possibility of hazardous reactions:	Stable under normal use conditions.
10.4 Conditions to avoid:	Stable under normal use conditions.
10.5 Incompatible Materials:	Strong oxidizing substances. Strong acids. Strong bases.
10.6 Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

#### SECTION 11: Toxicological information

##### 11.1 Information on toxicological effects

###### Acute toxicity

###### Oral

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s)**

White spirit, low viscous LD 50 (Rat): > 6.300 mg/kg

alkenyl amine, long-chain LD 50 (Rat): 1.689 mg/kg (OECD 401)

###### Dermal

**Product:** Not classified for acute toxicity based on available data.

###### Inhalation

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s)**

Butane LC 50 (Rat, 4 h): 658 mg/l  
Gas

###### Skin Corrosion/Irritation:

**Product:** Based on available data, the classification criteria are not met.

Product name: FUCHS FLT LUBE

**Serious Eye Damage/Eye Irritation:**

**Product:** Based on available data, the classification criteria are not met.

**Respiratory or Skin Sensitization:**

**Product:** Skin sensitizer: Based on available data, the classification criteria are not met.  
Respiratory sensitizer: Based on available data, the classification criteria are not met.

**Germ Cell Mutagenicity**

**Product:** Based on available data, the classification criteria are not met.

**Carcinogenicity**

**Product:** Based on available data, the classification criteria are not met.

**Reproductive toxicity**

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** Based on available data, the classification criteria are met.

**Aspiration Hazard**

**Product:** Based on available data, the classification criteria are not met.

**Other adverse effects:** No data available.

**SECTION 12: Ecological information****12.1 Toxicity****Acute toxicity**

**Product:** Based on available data, the classification criteria are not met.

**Fish****Specified substance(s)**

Propane	LC 50 (Fish, 96 h): > 1.000 mg/l
Isobutane (<0,1% 1,3-butadiene)	LC 50 (Fish, 96 h): 28 mg/l
Hydrocarbons, low viscous	LC 50 (Fish, 96 h): 11,4 mg/l (OECD 203)
White spirit, low viscous	LC 50 (Fish, 96 h): 10,1 - 100 mg/l
amine phosphate	LC 50 (Fish, 96 h): 8,5 mg/l
alkenyl amine, long-chain	LC 50 (Fish, 96 h): 0,06 mg/l



**Product name:** FUCHS FLT LUBE

---

#### **Aquatic Invertebrates**

##### **Specified substance(s)**

Isobutane (<0,1% 1,3-butadiene)	EC 50 (Water Flea, 48 h): 16,3 mg/l
Hydrocarbons, low viscous	LC 50 (Water Flea, 48 h): 3 mg/l (OECD 202)
White spirit, low viscous	EC 50 (Water Flea, 48 h): 10,1 - 22 mg/l
amine phosphate	EC 50 (Water Flea, 48 h): 91,4 mg/l
alkenyl amine, long-chain	EC 50 (Water Flea, 48 h): 0,011 mg/l

#### **Chronic Toxicity**

##### **Product:**

Based on available data, the classification criteria are met.

#### **Fish**

##### **Specified substance(s)**

amine phosphate	NOEC (Fish, 96 d): 3,2 mg/l
-----------------	-----------------------------

#### **Aquatic Invertebrates**

##### **Specified substance(s)**

amine phosphate	NOEC (Water Flea, 21 d): 0,12 mg/l
alkenyl amine, long-chain	NOEC (Water Flea, 21 d): 0,013 mg/l

#### **Toxicity to Aquatic Plants**

##### **Specified substance(s)**

Isobutane (<0,1% 1,3-butadiene)	EC 50 (Alga, 72 h): 8,6 mg/l
Hydrocarbons, low viscous	LC 50 (Alga, 72 h): 30 mg/l (OECD 201)
alkenyl amine, long-chain	EC 50 (Alga, 72 h): 0,04 mg/l

## **12.2 Persistence and Degradability**

#### **Biodegradation**

##### **Product:**

Not applicable for mixtures

##### **Specified substance(s)**

White spirit, low viscous	Readily biodegradable
amine phosphate	7,4 % (28 d, OECD 301B)
alkenyl amine, long-chain	66 % (28 d, OECD 301B)

## **12.3 Bioaccumulative potential**

##### **Product:**

Not applicable for mixtures

**Product name:** FUCHS FLT LUBE

---

**12.4 Mobility in soil:**

**Product:** Not applicable for mixtures

**12.5 Results of PBT and vPvB assessment:**

The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:**

Harmful to aquatic life with long lasting effects.

**Water Hazard Class (WGK):**

WGK 1: slightly water-endangering.

## SECTION 13: Disposal considerations

**13.1 Waste treatment methods**

**General information:**

Dispose in accordance with all applicable regulations.

**Disposal methods:**

Discharge, treatment, or disposal may be subject to national, state, or local laws.

**List of Waste (LoW) Codes**

16 05 04\*: Gases in pressure containers (including halons) containing hazardous substances.

## SECTION 14: Transport information

**ADR/RID**

- |                                    |          |
|------------------------------------|----------|
| 14.1 UN number or ID number:       | UN 1950  |
| 14.2 UN Proper Shipping Name:      | AEROSOLS |
| 14.3 Transport Hazard Class(es)    |          |
| Class:                             | 2        |
| Label(s):                          | 2.1      |
| Hazard No. (ADR):                  | —        |
| Tunnel restriction code:           | (D)      |
| 14.4 Packing Group:                | —        |
| 14.5 Environmental hazards:        | —        |
| 14.6 Special precautions for user: | —        |

**Product name:** FUCHS FLT LUBE

**IMDG**

14.1 UN number or ID number: UN 1950  
14.2 UN Proper Shipping Name: AEROSOLS  
14.3 Transport Hazard Class(es)  
Class: 2.1  
Label(s): 2.1  
EmS No.: F-D, S-U  
14.3 Packing Group: –  
14.5 Environmental hazards: –  
14.6 Special precautions for user: –

**IATA**

14.1 UN number or ID number: UN 1950  
14.2 Proper Shipping Name: Aerosols, flammable  
14.3 Transport Hazard Class(es):  
Class: 2.1  
Label(s): 2.1  
14.4 Packing Group: –  
14.5 Environmental hazards: –  
14.6 Special precautions for user: –

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** Not applicable.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:****GB Regulations**

**The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019:**  
none

**The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020:**  
none

**15.2 Chemical safety assessment:** No Chemical Safety Assessment has been carried out.

**DIRECTIVE Control of Major Accident Hazards Regulations 2015:**

The product falls into the scope of the Control of Major Accident Hazards Regulations 2015.

Hazard category in accordance with GB-CLP	Qualifying quantity for the application of Lower-tier requirements:	Qualifying quantity for the application of Upper-tier requirements:
P3a: P3a. Flammable aerosols	150 t	500 t

**Product name:** FUCHS FLT LUBE

## SECTION 16: Other information

**Revision Information:** Vertical lines in the margin indicate an amendment.

### Wording of the H-statements in section 2 and 3

EUH066	Repeated exposure may cause skin dryness or cracking.
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapor.
H229	Pressurized container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Other information:** The classification complies with the current GB lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: On the basis of test data; Calculation Method; Bridging Principle "Substantially similar mixtures"; Expert Judgement

**Revision Date:** 11.01.2023

**Disclaimer:** The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.