SIEMENS

Data sheet 5TG2578-0AM



Cover double USB Charger Aluminum Metallic

Model		
product brand name	DELTA	
product designation	cover	
cover version	Central plate	
General technical data		
marking	without imprint	
surface processing	painted	
material	thermoplast	
Protection class		
protection class IP	IP20	
Suitability		
suitability for integration	USB	
 bus system pushbutton coupling 	No	
Appearance		
appearance	shiny	
RAL color number	Similar to RAL 9006	
color	aluminum metallic	
Product details		
product component		
 replaceable lens 	No	
labeling field	No	
product feature halogen-free	Yes	
Mechanical Design		
height	55 mm	
depth	8 mm	
fastening method	terminal mounting	
net weight	18 g	
material of cover for switch pushbutton dimmer	plastic	
Approvals Certificates		
General Product Approval	other	

Confirmation



Miscellaneous

Confirmation

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG2578-0AM

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/5TG2578-0AM

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG2578-0AM

CAx-Online-Generator

http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications

last modified:	3/16/2023 🗗