




Connectors > PCB Connectors > PCB Connector Accessories > PCB Connector Keying



Connector Keying Accessory Type: **Keying Plug**

Contact Current Rating (Max): **3 A**

Circuit Application: **Signal**

Operating Temperature Range: **-65 – 105 °C [-85 – 221 °F]**

Features

Product Type Features

Connector Keying Accessory Type	Keying Plug
---------------------------------	-------------

Contact Features

Contact Current Rating (Max)	3 A
------------------------------	-----

Usage Conditions

Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per



homogenous material. Also BFR/CFR/PVC Free


Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1-925369-6 MOD 4 REC.HSG 1X16P	 TE Part # 925370-5 MOD IV REC HSG 2X5P.	 TE Part # 925366-8 MOD 4 REC.HSG 1X08P	 TE Part # 925370-6 MOD.IV REC HSG, 2X6P
 TE Part # 925369-3 MOD 4 REC.HSG 1X03P	 TE Part # 925369-6 MOD 4 REC.HSG 1X06P	 TE Part # 925370-8 MOD IV REC HSG, 2X8P	 TE Part # 925370-2 MOD IV REC HSG, 2X2P
 TE Part # 925369-2 MOD 4 REC.HSG 1X02P	 TE Part # 925370-4 MOD IV REC HSG 2X4 POS	 TE Part # 925367-4 MOD 4 REC.HSG 2X04P	 TE Part # 925369-5 MOD 4 REC.HSG 1X05P



TE Part # 925370-3
MOD IV REC HSG, 2X3P



TE Part # 1-925366-0
MOD 4 REC.HSG 1X10P



TE Part # 5-925370-0
MOD IV REC HSG, 2X50P



TE Part # 925366-6
MOD 4 REC.HSG 1X06P



TE Part # 1-925369-0
MOD 4 REC.HSG 1X10P



TE Part # 925369-7
7P MOD 4 HOUSING



TE Part # 925366-4
MOD 4 REC. HSG 4P.




TE Part # 925369-9
09P AMP MODU 4 HSG.

Also in the Series | AMPMODU IV/V



Automotive Housings(2)




Backplane Connector Housings(1)



Board-to-Board Connector Contacts(6)




Insertion & Extraction Tools(4)




PCB Connector Covers(18)




PCB Connector Keying(6)




PCB Connector Mounting(1)



PCB Connector Strain Relief(3)



PCB Headers & Receptacles(939)



PCB Latches, Locks & Retainers(9)



Rectangular Connector Housings(5)



Standard Rectangular Connectors(8)



Wire-to-Board Connector Assemblies & Housings(467)



Wire-to-Board Connector Contacts (326)

Documents

Product Drawings

KEYING PLUG

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_926519-2_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_926519-2_E.3d_igs.zip

English

Customer View Model

ENG_CVM_926519-2_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English