


CPC-5



CPC-5 Protecting Covers for Current Sockets

General Information

Extended Product Type	CPC-5
Product ID	1SNA166888R2100
EAN	3472591668889
Catalog Description	CPC-5 Protecting Covers for Current Sockets
Long Description	During normal operation, lids and covers ensure protection of the test sockets from dust and unauthorized use. According to the mounting choice, two options available: — a lid for all types of mounting — a cover required for base mounting ("S/DS" mounting coding) In the case of opened contacts sockets, electrical continuity covers or lids are required. The electrical continuity is provided thanks to inner pins and linking bar.

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85369010

Popular Downloads

Data Sheet, Technical Information	1SNC169001C0211
Instructions and Manuals	1SNC169001C0210

Dimensions

Product Net Width	49 mm
Product Net Height	73 mm
Product Net Depth / Length	30 mm
Product Net Weight	27 g

Technical

Mounting on DIN Rail	G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
----------------------	--

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	1SND225040C1005
EAC Certificate	1SND160001A1100

Environmental Information	1SND220073E1000
Instructions and Manuals	1SNC169001C0210

Classifications

Object Classification Code	X
ETIM 4	EC000902 - (Knife) disconnect terminal block
ETIM 5	EC000902 - (Knife) disconnect terminal block
ETIM 6	EC000902 - (Knife) disconnect terminal block

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	155 mm
Package Level 1 Depth / Length	200 mm
Package Level 1 Height	5 mm
Package Level 1 Gross Weight	0.027 kg
Package Level 1 EAN	3472591668889
Package Level 2 Units	96 piece
Package Level 2 Gross Weight	2.592 kg
Product Packing Type	Bag

Categories

Low Voltage Products and Systems → Connection Devices → Test Blocks Accessories → Protecting Covers for Current Sockets

