



## Notice : KERM 8622

Index : 2

### GUYARD SAS

22-24, Rue Lucien Rouzet  
Z.A. Villedieu sur Indre/ Niherne  
36250 NIHERNE FRANCE

**Aramid para-aramid mitten High  
temperature resistance**

**Major risks - Category III PPE**

### FEATURES :

- Mittens blend of meta-aramid 70%, para-aramid 30%.
- Looped wool lining 62%, cotton 38%.
- Cowhide split leather cuff 20 cm.
- Length 400 mm Aramid thread stitching

### AVAILABLE SIZE :

- Size 10.

### PRECAUTIONS FOR USE :

- Wear the gloves on dry and clean hands. It is recommended to test the gloves first. Actual use conditions may be different from the EU type tests.
- Before reusing, check the gloves for defects, holes, tears, unusual wear, etc.
- Expiration date : 5 years from the date of manufacture stated on the glove.

### SAFETY COMFORT AND DEXTERITY :

- Dexterity level 1.
- The glove does not contain substances at levels which are known or suspected to have harmful effects on the hygiene or health of the user under the expected conditions of use.

### MAINTENANCE AND STORAGE

- No special maintenance is recommended. It is advisable to store the products in a cool, dry and ventilated place, keep away from light.

### PACKAGING :

- In case of unpacking, a copy of the instruction sheet must be enclosed with the next smallest package.
- Bag of 5 pairs.
- Box of 50 pairs.

EN 21420 :2020

EN 388 :2016  
+A1 : 2018

EN 407 : 2020



CE 0333

3 5 4 2 F

4 4 4 3 X X

### PERFORMANCE LEVELS:

EN 388 :2016+A1 :2018

- Abrasion : 3/4
- Blade cut : 5/5
- Tear : 4/4
- Puncture : 2/4
- Cutting by sharp objects (ISO 13997) : F/F

EN 407 :2020

- Flame behavior : 4/4
- Contact heat : 4/4
- Convective heat : 4/4
- Radiant heat : 3/4
- Small splashes of liquid metal : X/4
- Large splashes of liquid metal : X/4

### PROTECTION LIMITS :

- Do not use for handling objects with a temperature higher than 500°C.
- Do not use for handling chemical or liquids products.

### RECOMMENDED USES:

- Handling flask for handling hot parts, foundries, glassworks.

### END OF LIFE

End-of-life destruction must be controlled and comply with European traceability and environmental requirements.

EU type certificate issued in accordance with module B Regulation (EU) 2016/425  
Manufacturing monitoring, in accordance with module D Regulation (EU) 2016/425

LEITAT n° :0162  
Afnor Certification ON n° :0333

The EU declaration of conformity is available on

[www.guyard-sa.com](http://www.guyard-sa.com)