

# THERMOMARK E.SLEEVE - Applicator



1192932

<https://www.phoenixcontact.com/gb/products/1192932>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Applicator for the efficient printing and application of E-WMS... shrink sleeves and marking sleeves on wires and cables in a single automated process step

## Product description

To achieve maximum efficiency in wire and cable identification processes, combine a standard roll printer from the THERMOMARK E SERIES with the THERMOMARK E.SLEEVE applicator. This provides you with an automated printing and application system that enables you to achieve time savings of up to 75% compared to manual identification processes. The THERMOMARK E.SLEEVE cuts the ready-printed E-WMS... shrink sleeves and marking sleeves in continuous format to the appropriate length, opens the individual markers, and feeds them in as far as the removal position so that the user can apply the finished markers to the wire/cable very easily. This unique system enables the efficient and demand-oriented creation of custom marker lengths between 15 mm/0.59" and 51 mm/2.0". Automated identification of all types of cylindrical objects that have a diameter of between 0.8 mm/0.03" and 8.5 mm/0.33" is supported.

Scope of supply:

THERMOMARK E.SLEEVE, TM E.WIRE/E.SLEEVE-PR pressure roller (1259203), multilingual packing slip

## Your advantages

- Time savings of up to 75% compared to manual printing and application processes
- Consistently high level of efficiency over the entire working day through intuitive handling, which helps reduce costs
- Planning accuracy with regard to productivity and quality: in the case of order peaks, productivity can be increased significantly using the same number of employees
- Reduction in the number of user errors through intuitive step-by-step guidance along the entire identification process as well as automatic data processing from CAE systems and other popular file formats for data exchange
- Cost efficiency by using shrink sleeves in continuous format
- No setup effort, thanks to automatic diameter adjustment
- Automatic object detection
- Shrink sleeve markers cut to variable lengths from 15 mm ... 51 mm
- For cylindrical objects with a diameter ranging from 0.8 mm ... approx. 8.5 mm
- Quick and easy mounting of the applicator on the roll printer via hexagon screw
- The applicator is connected via the D-SUB interface on the roll printer and is detected automatically by the software

## Commercial data

Item number	1192932
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG122Z
Product key	BG122Z

# THERMOMARK E.SLEEVE - Applicator



1192932

<https://www.phoenixcontact.com/gb/products/1192932>

GTIN	4063151244699
Weight per piece (including packing)	3,600 g
Weight per piece (excluding packing)	2,440 g
Customs tariff number	84433210
Country of origin	DE

# THERMOMARK E.SLEEVE - Applicator



1192932

<https://www.phoenixcontact.com/gb/products/1192932>

## Technical data

### Product properties

Product type	Printing system accessories
--------------	-----------------------------

### Electrical properties

#### Supply

Supply voltage range	24 V DC
----------------------	---------

### Dimensions

Width	244 mm
Height	148 mm
Length	200 mm

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	5 °C ... 35 °C
---------------------------------	----------------


# THERMOMARK E.SLEEVE - Applicator



1192932

<https://www.phoenixcontact.com/gb/products/1192932>

## Approvals

 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/gb/products/1192932>



**cULus Listed**

Approval ID: E140403



**cULus Listed**

Approval ID: E140403

# THERMOMARK E.SLEEVE - Applicator



1192932

<https://www.phoenixcontact.com/gb/products/1192932>

## Classifications

### ECLASS

ECLASS-13.0	19140192
-------------	----------

### ETIM

ETIM 9.0	EC001675
----------	----------

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(a)-I, 6(c), 7(c)-I

### China RoHS

Environment friendly use period (EFUP)	EFUP-10
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

### EU REACH SVHC

REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	a196fc90-ba92-4398-bb04-0e750ab553fd