

TeSys LE - enclosed star-delta starter - 18 A - 415 V AC coil

Local distributor code:

381828257 LE3D18N7

EAN Code: 3389110628258

Main

Range	TeSys	
product name	TeSys LE	
Device short name	LE3D	
Product or component type	Enclosed star-delta starter	
Device application	Standard	
Material	Polycarbonate	
Utilisation category	AC-3	
Device composition	Thermal overload relay ordered separately Star-delta contactors Mechanical interlock	
[le] rated operational current	18 A AC-3	
Motor power kW	11 kW at 220 V AC 50/60 Hz 22 kW at 415 V AC 50/60 Hz 22 kW at 440 V AC 50/60 Hz 18.5 kW at 380/400 V AC 50/60 Hz	
[Uc] control circuit voltage	415 V AC 50/60 Hz	
Control type	Push-button start green I Push-button stop/reset red O	

Complementary

Connections - terminals	Power circuit: screw clamp terminals Control circuit: screw clamp terminals
Cable entry number	2 ISO20 top
	2 ISO25 top
	2 ISO32 top
	2 ISO40 top
	2 ISO20 bottom
	2 ISO25 bottom
	2 ISO32 bottom
	2 ISO40 bottom
Width	186 mm
Height	348 mm
Depth	175.5 mm
Net weight	3.75 kg

Environment

IP degree of protection	IP65 conforming to IEC 60529	
IK degree of protection	IK07 conforming to IEC 60529	

Standards	IEC 60947-4-1
Ambient air temperature for operation	-540 °C
Environmental characteristic	Standard environment
Product certifications	LIKCA

Packing Units

_	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	29.000 cm
Package 1 Width	28.500 cm
Package 1 Length	46.000 cm
Package 1 Weight	3.450 kg
Unit Type of Package 2	P06
Number of Units in Package 2	6
Package 2 Height	75.000 cm
Package 2 Width	80.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	28.700 kg

Logistical informations

Country of origin FR

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	107
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins