



PRODUCT NUMBER: 3301279

QB3HYG Semi-Aural Banded Earplugs

Overview

Reference Number

3301279

Product Type

Hearing Protection

Range

Earplugs

Line

Banded Earplugs

Brand

Howard Leight by Honeywell

Industry

- Industry
- Administration
- Agriculture
- Army - Defence
- ATEX environment
- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Chemical Industries
- Energy or Electricity
- Fire Protection brigades
- Fishing
- Food Industries
- Foundry
- Glass Industries
- Green Spaces
- Homeland defense
- Industrial Cleaning
- Iron and steel industry
- Laboratory
- Logistics
- Maintenance
- Medical and Pharmaceutical
- Metal steel
- Mining and Quarrying
- Offshore
- Paper Industries
- Petro-chemical
- Printing Industries
- Services
- Ship Building
- Telecoms
- Textile Industries
- Transportation
- Utilities
- Water treatment
- Welding
- Wood Industries

Product Use

Banded Earplug, Semi-Aural

Features & Benefits

Feature

SEMI-AURAL PROTECTION Smooth, ergonomic ear pods fit rest outside of the opening of the ear canal for reliable banded protection. PATENTED BAND DESIGN Prevents ear pods from touching dirty or contaminated surfaces when set down. LIGHTWEIGHT AND PORTABLE Designed especially for environments with intermittent noise hazards.

Benefit

Designed for people who are exposed to intermittent noise, QB3HYG offers superior protection with its semi-aural fit. Smooth, ergonomic pods rest outside of the opening of the ear canal for reliable protection, while QB3HYG's patented band design prevents ear pods from touching dirty or contaminated surfaces when set down.

Technical Description

SNR (dB)

23

H (dB)

25

M (dB)

19

L (dB)

17

Attenuation Data

	63	125	250	500	1000	2000	4000	8000
Frequency (Hz) Frequenz (Hz) Fréquence (Hz)								
Mean Attenuation (dB) Mittlere Dämmung (dB) Atténuation moyenne (dB)	23.5	22.3	20.6	16.8	22.7	30.6	34.2	33.7
Standard Deviation (dB) Standardabweichung (dB) Déviation standard (dB)	4.3	4.2	3.7	2.4	4.0	3.5	3.8	6.1
Assumed Protection (dB) Angenommener (dB) Protection supposé (dB)	19.2	18.1	16.9	14.4	18.7	27.1	30.4	27.6

Size

Fits All

Color

Orange and Blue

Shape

oval pad

Corded

No


Weight (grs)

14.7

Design Patents

Hygienic Banded Earplug

Certifications

 **E.C. Declaration of Conformity**

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

991029

EC Attestation Number

E 1999 20169

Photos & Images

We're sorry, there are no images available at this time.

Maintenance

Life Cycle

We recommend replacement every 2-4 weeks.

Storage Information

All earplugs should be stored before and between usages in a way that protects them from dirt, grease, and other contaminants.

Care Instructions

Our reusable earplugs may be washed in warm water and allowed to air dry. Washing may be repeated several times, but we recommend replacement every 2-4 weeks. Hydrocarbon based solvents, such as alcohol, should not be used to clean reusable ear plugs. The use of such solvent based cleaners may cause reusable plugs to soften, swell, and weaken with time. Additionally, with extended use, reusable plugs must be regularly inspected for serviceability.

Parts & Accessories

Accessories

Reusable bag/Polypropylene QB300HYG
Replacement pods - Ref. # 3301183

Packaging

EAN Code

033552005360

Honeywell

[View other region sites](#)
© 2013 Honeywell International Inc.