

DELTA pushbutton device insert, UP double pushbutton, 1 NO 1 NC/1 NO 10A 250V

Model	
product brand name	DELTA
product designation	Pushbutton insert
design of the product	single pushbutton
design of the switching function	others
type of composition	base element
design of the actuating element	pushbutton/momentary pushbutton
General technical data	
printed marking	Without
mounting type	flush mounting
surface processing	others
material	others
Supply voltage	
operating voltage rated value	250 V
Protection class	
protection class IP	IP20
Switching capacity	
switching capacity current	10 A
Main circuit	
operational current rated value	10 A
Appearance	
appearance	not applicable
color	miscellaneous
Product details	
product component	
• labeling field	No
• integrated light source	No
• signaling contact	No
number of NC contacts	0
number of NO contacts	0
number of CO contacts	1
product feature	
• halogen-free	Yes
• transparent	No
Number	
number of actuating rockers	2
Mechanical Design	
height	70 mm
width	70 mm
depth	32 mm

fastening method	claw/screw mounting		
material of the enclosure	metal		
Environmental footprint			
Environmental Product Declaration(EPD)	Yes		
Global Warming Potential [CO2 eq] total	4.86 kg		
Global Warming Potential [CO2 eq] during manufacturing	0.353 kg		
Global Warming Potential [CO2 eq] during operation	4.49 kg		
global warming potential [CO2 eq] after end of life	0.016 kg		
Approvals Certificates			
General Product Approval		Declaration of Con- formity	other



[Confirmation](#)

## Environment

[Environmental Con-  
firmations](#)

## Further information

**Siemens has decided to exit the Russian market (see here).**

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

**Siemens is working on the renewal of the current EAC certificates.**

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

**Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TD2115>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5TD2115>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TD2115](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TD2115)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



last modified:

11/3/2023 

