

# Mount plate galvanised steel for DLP height=2raws in PLAenclosure W750mm

NSYPMP5002DLP

### Main

Range	Thalassa
Accessory / separate part category	Mounting accessory
Product or component type	Mounting plate
Device application	Multi-purpose
Enclosure nominal dimensions	-
Mounting location	On fixing supports of chassis structure
Mounting plate description	Plain
Range compatibility	Thalassa Thalassa PLA Thalassa Thalassa PHD
Device composition	1 mounting plate
Quantity per set	Set of 2
Material	Galvanised steel

## Complementary

Fixing mode	By screws	
Height	Nominal: 300 mm Real: 298 mm	
Width	Nominal: 500 mm Real: 361 mm	
Thickness	2 mm	

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.500 cm
Package 1 Width	32.000 cm
Package 1 Length	45.500 cm
Package 1 Weight	1.800 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	2
Package 2 Height	5.000 cm
Package 2 Width	32.000 cm
Package 2 Length	45.500 cm

Package 2 Weight	3.600 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	12
Package 3 Height	29.000 cm
Package 3 Width	45.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	21.600 kg

## **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

<b>⊘</b> Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	18
Environmental Disclosure	Product Environmental Profile

#### **Use Better**

Materials and Packaging		
Packaging made with recycled cardboard	No	
Packaging without single use plastic	No	

#### Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No