

Socket outlet, Mureva PK, NF Panel 50x50, Black, IP54

PKN51N

! Discontinued on: 01 Dec 2024

① To be discontinued

Main

Range	Mureva
Product or component type	Socket-outlet
Device short name	Mureva socket
Plug, socket category	Low voltage
Poles description	2P + E
Network type	AC
Outlet standard	French

Complementary

[In] rated current	10 A 16 A	
Network frequency	50/60 Hz	
[Ue] rated operational voltage	250 V	
Plug, socket material	Housing: self-extinguishing engineering polymer	
Contacts material	Pins: stainless steel Springs: stainless steel	
Cover type	Lid	
Device mounting	Flush	
Mounting mode	Panel-mounted	
Connections - terminals	Captive screws	
Location of conductor inlet	Back	
Net weight	0.05 kg	
Base dimension	50 x 50 mm	
Height	85 mm	
Width	65 mm	
Depth	45.2 mm	
Colour	Black (RAL 7016)	

Environment

Standards	IEC 60309-2 IEC 60309-1
IP degree of protection	IP54 conforming to IEC 60529

Excluding VAT and subject to change. Please check with your local distributor through "Where to buy"

IK degree of protection	IK09 conforming to EN 62262		
Fire resistance	850 °C conforming to IEC 60695-2-11		
Relative humidity	50 % at 40 °C		
-	70 % at 30 °C		
	90 % at 20 °C		
Ambient air temperature for	35 °C (86400 s)		
operation	-25 40 °C		

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	5.000 cm
Package 1 Length	6.000 cm
Package 1 Weight	42.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	40
Package 2 Height	13.500 cm
Package 2 Width	19.500 cm
Package 2 Length	28.000 cm
Package 2 Weight	1.853 kg
Unit Type of Package 3	S03
Number of Units in Package 3	120
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	6.084 kg

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
SCIP Number	52b60409-d705-46c7-9ba3-cc3ef6e307da

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No