

**Product Datasheet model 9906 008 pheos SLB 2 magnetic**

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth**

**Product characteristics**

- PC visor with uvex supravision excellence coating technology
- Marking 3 (drops and splashes of liquid) and 9 (molten material and hot solids)
- Magnetic side arms
- Compatible with uvex pheos safety helmet E-S-WR
- Visor against the effects of electrical arcs class 2 (7kA), certified by GS-ET 29

## Technical details

### Frame

Material  
Colour

### Side arms

PE  
black

Manufacturer's ID code  
Applicable EN  
Field of use

### Marking

W  
166  
3 (drops and splashes of liquid)  
9 (molten material and hot solids)  
8-2  
B (120 m/s)  
CE  
0196

GS-ET-29

Impact  
Conformity symbol  
Notified body

### Lens

Material  
Thickness  
Coating  
Colour  
UV protection

PC  
2,2 mm  
uvex supravision excellence  
blue  
UV 400

Filter  
Manufacturer's ID code  
Optical class  
Impact  
GS-ET-29  
Field of use  
Surface resistance to  
fine particles  
Antifog  
Conformity symbol  
Notified body

### Marking

2C-1,2 (DIN EN 170)  
W  
1  
B (120 m/s)  
8-2-0  
9 (molten material and hot solids)  
K  
N  
CE  
0196

**Miscellaneous**

Weight

216 g

Packing

12 visors per cardboard box

Standards

DIN EN 166 + DIN EN 170

PPE Category

Category III