



Disconnecter, T92 690 V 200 A 3-pole transparent



Figure similar

Model	
product brand name	SENTRON
product designation	Switch disconnecter
design of the product	transparent
design of the operating mechanism	selector switch
type of the driving mechanism / motor drive	No
General technical data	
number of poles	3
type of device	other
Supply voltage	
operating current / at AC / rated value	200 A
operating voltage / at AC / at 50/60 Hz / rated value	690 V
Protection class	
protection class IP	IP20
Current	
continuous current / rated value	200 A

Main circuit		
operating power		
<ul style="list-style-type: none"> at AC-23 A / at 400 V / at 50/60 Hz / rated value 	88 kW	
operating current / rated value	200 A	
Auxiliary circuit		
number of CO contacts / for auxiliary contacts	0	
number of NC contacts / for auxiliary contacts	0	
number of NO contacts / for auxiliary contacts	3	
Suitability		
suitability for integration / distribution board	Yes	
suitability for use		
<ul style="list-style-type: none"> main switch 	No	
<ul style="list-style-type: none"> switch disconnecter 	Yes	
<ul style="list-style-type: none"> EMERGENCY OFF switch 	No	
<ul style="list-style-type: none"> safety switch 	No	
<ul style="list-style-type: none"> maintenance/repair switch 	Yes	
Product details		
product feature / interlock	No	
product extension / optional		
<ul style="list-style-type: none"> motor drive 	No	
<ul style="list-style-type: none"> voltage trigger 	No	
Connections		
type of electrical connection / for main current circuit	screw-type terminals	
Mechanical Design		
height	90 mm	
depth	92.5 mm	
mounting type	standard rail	
mounting type		
<ul style="list-style-type: none"> front mounting with 4-hole attachment 	No	
<ul style="list-style-type: none"> central front mounting 	No	
Certificates		
General Product Approval	Declaration of Conformity	other
 UL	 EG-Konf.	Environmental Confirmations
Further information		

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TE1340>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TE1340>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE1340

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

