

MX shunt release, ComPacT NSX, rated voltage 48 VAC 50/60 Hz, screwless spring terminal connections

Local distributor code:

391352674 LV429385

EAN Code: 3606480019074

Main

Range	ComPacT	
Range of product	ComPact NSX100250	
	ComPacT NSX100250	
	ComPact NSX400630	
	ComPacT NSX400630	
	ComPact NSX100250 DC	
	ComPacT NSX100250 DC	
	ComPact NSX100250 DC PV	
	ComPacT NSX100250 DC PV	
	ComPact NSX400630 DC	
	ComPacT NSX400630 DC	
	ComPact NSX400630 DC PV	
	ComPacT NSX400630 DC PV	
Device short name	MX	
Product or component type	Voltage release	
Device application	Control	
Voltage release type	Opening coil	
	Shunt trip release	
[Uc] control circuit voltage	48 V AC 50/60 Hz	
Range compatibility	ComPacT ComPacT NSX	
	ComPacT ComPacT NSX DC	
	ComPact ComPact NSX	
	ComPact ComPact NSX DC	
	EasyPact EasyPact CVS	
	PowerPact PowerPact Multistandard	

Complementary

Operating threshold	0.71.1 x Un opening	
Response time	50 ms	
Control signal type	Impulse Maintained	
Impulse duration	>= 20 ms	
Supply inrush power	10 VA	
Auxiliary connection terminal	Spring 0.51.5 mm² (AWG 20AWG 16)	
Wire stripping length	7 mm	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.400 cm

Package 1 Width	4.600 cm
Package 1 Length	6.200 cm
Package 1 Weight	114.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	7.100 cm
Package 2 Width	10.600 cm
Package 2 Length	23.700 cm
Package 2 Weight	1.184 kg
Unit Type of Package 3	S03
Number of Units in Package 3	60
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	7.477 kg

Logistical informations

Country of origin PL

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	81ad7b79-ef4f-4746-bccc-1c5b358db33b
REACh Regulation	REACh Declaration
Halogen content performance	Product contains halogen above thresholds
PVC free	Yes
Silicon free	No

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins