#### **CT Drawer**

TE Internal #: 292178-1

CT Drawer, Connector Assembly, Plug to Plug Relay Header, Wireto-Wire, 22 Position, 2 mm [.079 in] Centerline, Crimp/IDC, 2 Row, Black

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Connector Assembly

Connector & Housing Type: Plug to Plug Relay Header

Connector System: Wire-to-Wire

Number of Positions: 22

Centerline (Pitch): 2 mm [.079 in]

Termination Method to Wire & Cable

**Mechanical Attachment** 

Strain Relief

## **Features**

## **Product Type Features**

Connector Product Type	Connector Assembly
Connector & Housing Type	Plug to Plug Relay Header
Connector System	Wire-to-Wire
Sealable	No
Configuration Features	
Number of Positions	22
Number of Rows	2
Electrical Characteristics	
Operating Voltage	125 V
Contact Features	
Contact Retention Within Housing	With
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	1 A
Termination Features	

Crimp/IDC

Without



Panel Mount Feature	With
Mating Retention	Without
Connector Mounting Type	Panel Mount
Housing Features	
Housing Material	PBT GF
Centerline (Pitch)	2 mm[.079 in]
Housing Color	Black
Dimensions	
Wire Size	28 – 22 AWG
Row-to-Row Spacing	7.6 mm[.299 in]
Usage Conditions	
Operating Temperature Range	-20 – 120 °C[-4 – 248 °F]
Operation/Application	
Circuit Application	Power & Signal
Packaging Features	
Packaging Quantity	40
Packaging Method	Box & Carton

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as




EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



# Also in the Series | CT Drawer



# Customers Also Bought



















### **Documents**

### **Product Drawings**

MINI DRAWER CONN FOR CT 22P

English

### **CAD Files**

3D PDF

English

**Customer View Model** 

ENG\_CVM\_292178-1\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_292178-1\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_292178-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

Low Power Drawer Connectors QRG

English

# **Product Specifications**

MINI DRAWER CONNECTOR, LEAD FREE VERSION

English

**Product Specification** 

English

MINI DRAWER CONNECTOR, LEAD FREE VERSION

Japanese

**Product Specification** 

Japanese

**Product Environmental Compliance** 

MD\_292178-1\_051220141114\_dmtec

English

MD\_292178-1\_051220141114\_dmtec

CT Drawer, Connector Assembly, Plug to Plug Relay Header, Wire-to-Wire, 22 Position, 2 mm [.079 in] Centerline, Crimp/IDC, 2 Row, Black



English