



PRODUCT-DETAILS

## TY400-120

### CABLE TIE 120LB 15IN NATURAL NYLON



#### General Information

Extended Product Type	TY400-120
Product ID	7TAG054360R0282
EAN	5414363064411
Catalog Description	CABLE TIE 120LB 15IN NATURAL NYLON
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 374.65mm (14.75 Inches), Width of 7.595mm (0.299 Inches), Thickness of 1.90mm (0.075 Inches), Tensile Strength Rating of 540 Newtons (120 Pounds), Bulk Pack

#### Ordering

EAN	5414363064411
UPC	786210898261

#### Dimensions

Product Net Width	0.299 in 7.595 mm
Product Net Depth / Length	14.76 in 374.65 mm

#### Container Information

Package Level 1 Units	500 piece
Package Level 2 Units	2500 piece
Package Level 2 Width	13.4 in 340 mm
Package Level 2 Height	13.4 in 340 mm
Package Level 2 Depth / Length	18.2 in 462 mm

---

### Technical UL/CSA

Flammability According to UL94	V-2
--------------------------------	-----

---

### Additional Information

Brand / Label	Catamount
Bundle Diameter	0.189 to 4.02 in 4.8 to 102 mm
Color	Natural
Effective Date	19921219
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	Heavy Duty
Special Functions	The integrally formed nylon pawl combines low insertion and high locking strength.
Standards	UL E49405
Tensile Strength	120 lb 534 N
Thickness	0.05 in 1.31 mm

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY400-120
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY400-120

---

### Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

