



## **TROLLEY 41 - 6 DRAWERS - RED - 380**

### **INDUSTRIAL MAINTENANCE TOOLS**

### **416-380MM**

#### **SAM Outillage**

10 rue Camille de RochetaillÃ©e  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 â‚¬

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2026-08-07 13:59:42





## DESCRIPTION

### TROLLEY 41 - 6 DRAWERS - RED - 380 INDUSTRIAL MAINTENANCE TOOLS

New tool compositions in 5, 6, and 7 complete drawers, with quality tools, combining essential tools and specific tools for industrial and automotive maintenance.

Available in 5, 6, 7, or 9 drawer tool chests. 3 new compositions carefully designed.

Each configuration has been designed to meet the real needs of professionals.

BECAUSE LISTENING TO YOU MEANS PROVIDING EXACTLY WHAT YOU NEED.

#### SAM Outillage

10 rue Camille de RochetaillÃ©e  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 â‚¬

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2026-08-07 13:59:42



## SPECIFIC DATA

|                 |                                           |
|-----------------|-------------------------------------------|
| Designation     | SERVANTE 41 - 6 DRAWERS - RED - 380 TOOLS |
| Sales reference | 416-380MM                                 |
| Weight (kg)     | 126.1                                     |
| Guarantee       | O   SAM TOOL guarantee.                   |

### Guarantee applied

**O | SAM TOOL guarantee.**

Guarantee without time limit on the tools used under normal conditions.

[>> Find out more](#)

## Toolset



x 1

Large volume tool trolley- 41 series - new generation - 6 drawers  
**416H**



x 1

Selection of tightening tools - foam module 3/3  
**CP-138PM**



x 1

Screw driving bits ph + hex  
**E-900J10**  
Ref : E-900J10



x 1

Screw driving bits pz +tx  
**E-910J10**  
Ref : E-910J10



x 1

Screw driving bits fte +txr  
**E-920J10**  
Ref : E-920J10



x 1

3/8" sliding handle  
**J-120**  
Ref : J-120

## SAM Outillage

10 rue Camille de RochetaillÃ©e  
42000 Saint-Etienne - France

RCS Saint-Etienne B 338 002 231 | SAS au capital de 8 189 583 Å.~

<https://www.sam-outillage.com/>

Photos and texts not contractually binding. Do not litter. Document generated on 2026-08-07 13:59:42



|                                                                                     |      |                                                                                                                                                    |
|-------------------------------------------------------------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------|
|    | x 1  | 1/2" site ratchet with lever reversion<br><b>J-157B</b><br>Ref : J-157B                                                                            |
|    | x 2  | Straight 3/8" extensions<br><b>J-2...</b><br>Ref : J-208 - J-210                                                                                   |
|    | x 1  | 3/8" joint<br><b>J-240</b><br>Ref : J-240                                                                                                          |
|    | x 17 | 3/8" short hexagonal sockets in mm<br><b>JH-...</b><br>Ref : 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22        |
|    | x 2  | LONG SOCKET 6-FLAT 3/8" 28 MM<br><b>JHL-...</b><br>Ref : 16 - 21                                                                                   |
|    | x 5  | 3/8" sockets for Torx® head<br><b>JTX-...</b><br>Ref : 10 - 11 - 12 - 14 - 16                                                                      |
|   | x 15 | 1/4" short hexagonal key socket (mm)<br><b>R-...Douilles_1/4_MM</b><br>Ref : 3,5 - 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 |
|  | x 1  | 1/4" sliding handle<br><b>R-120</b><br>Ref : R-120                                                                                                 |
|  | x 1  | Site 1/4" ratchet<br><b>R-157B</b><br>Ref : R-157B                                                                                                 |
|  | x 2  | Straight 1/4" extensions<br><b>R-21...</b><br>Ref : R-210 - R-211                                                                                  |
|  | x 1  | Flexible 1/4" extension<br><b>R-220</b><br>Ref : R-220                                                                                             |
|  | x 1  | Fitted 1/4" extension<br><b>R-225</b><br>Ref : R-225                                                                                               |
|  | x 1  | 1/4" joint<br><b>R-240</b><br>Ref : R-240                                                                                                          |
|  | x 1  | 1/4" bit holder socket<br><b>RD-1</b><br>Ref : RD-1                                                                                                |

|                                                                                     |      |                                                                                                                                                 |
|-------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------|
|    | x 6  | 1/4" single-piece screwdriver sockets for hollow hexagonal screws<br><b>RS-...</b><br>Ref : 3 - 4 - 5 - 6 - 7 - 8                               |
|    | x 1  | Sets of 6 screwdriver sockets 1/4" for 6-flat socket head screws on storage rack<br><b>RS-J6R</b><br>Ref : RS-J6R                               |
|    | x 1  | Set of 8 screwdriver sockets 1/4" for Torx® imprint on storage rack<br><b>RT-J8R</b><br>Ref : RT-J8R                                            |
|    | x 5  | 1/4" sockets for Torx® head<br><b>RTX-...</b><br>Ref : 4 - 5 - 6 - 7 - 8                                                                        |
|    | x 1  | 1/2" sliding locking handle<br><b>S-120</b><br>Ref : S-120                                                                                      |
|    | x 1  | 1/2" site ratchet with lever reversion<br><b>S-157B</b><br>Ref : S-157B                                                                         |
|   | x 1  | Straight 1/2" extensions<br><b>S-2...</b><br>Ref : S-215                                                                                        |
|  | x 1  | 1/2" joint<br><b>S-240</b><br>Ref : S-240                                                                                                       |
|  | x 18 | 1/2" short hexagonal sockets in mm<br><b>SH-...</b><br>Ref : 10 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 |
|  | x 5  | 1/2" long bi-hexagonal sockets in mm<br><b>SL-...Douilles_MM</b><br>Ref : 14 - 15 - 17 - 19 - 22                                                |
|  | x 3  | 1/2" sockets for Torx® head<br><b>STX-...</b><br>Ref : 18 - 20 - 24                                                                             |
|   | x 1  | 3/3 FOAM MODULE 12 PLIERS<br><b>CP-12MM</b>                                                                                                     |
|  | x 1  | Polished chrome-plated universal pliers with spring<br><b>204-R...G</b><br>Ref : 204-R18G                                                       |
|  | x 1  | Mechanic's diagonal chrome-plated cutting pliers with spring<br><b>232-R...G</b><br>Ref : 232-R18G                                              |

|                                                                                     |     |                                                                                              |
|-------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------|
|    | x 1 | Straight half-round nose pliers, polished chrome-plate<br><b>237-...G</b><br>Ref : 237-20G   |
|    | x 1 | Polished chrome-plated angled half-round nose pliers with spring<br><b>239-R20G</b>          |
|    | x 1 | Mat chrome-plated straight nose outer circlips pliers<br><b>195-...A</b><br>Ref : 195-17A    |
|    | x 1 | Mat chrome-plated 90° elbowed nose outer circlips pliers<br><b>196-...A</b><br>Ref : 196-17A |
|    | x 1 | Burnished finish straight nose inner circlips pliers<br><b>190-...A</b><br>Ref : 190-17A     |
|    | x 1 | Mat chrome-plated 90° elbowed nose inner circlips pliers<br><b>191-...A</b><br>Ref : 191-17A |
|    | x 1 | High-capacity lock grip pliers<br><b>212-25</b>                                              |
|  | x 1 | Crimping pliers<br><b>241-42</b>                                                             |
|  | x 1 | Polished chrome-plated stacked-branch multigrip pliers<br><b>209-25B</b>                     |
|  | x 1 | Mechanic's end nippers<br><b>229-...</b><br>Ref : 229-25                                     |



x 1

MODM 3/3 88 SCREWDRIVER+WRENCHES MA.  
**CP-88MM**

|                                                                                     |     |                                                                                                                           |
|-------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------|
|  | x 1 | Flexible screwdriver 6 mm<br><b>23-...</b><br>Ref : 7 mm                                                                  |
|  | x 1 | Ratchet telescopic screwdriver with magnetic bit holder<br><b>T-PE</b>                                                    |
|  | x 9 | Rack of 9 male 6-flat keys with spherical head in mm<br><b>67-AR9A</b><br>Ref : 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm |

|                                                                                     |      |                                                                                                               |
|-------------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------------------------------|
|    | x 9  | Rack of 9 Torx® male keys<br><b>66-R9A</b><br>Ref : T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40         |
|    | x 9  | Torx® S1 round blade screwdriver<br><b>T-...X</b><br>Ref : T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40  |
|    | x 2  | Testing screwdriver<br><b>268-...</b><br>Ref : 6-24V et 100-500V                                              |
|    | x 3  | SCREWDRIVER ELECTRICIAN INSULATED 1000V<br><b>ZTC-...E</b><br>Ref : N°2 - N°3 - N°4                           |
|    | x 2  | SCREWDRIVER PHILLIPS® INSULATED 1000V<br><b>ZTC-...P</b><br>Ref : N°1 - N°2                                   |
|    | x 1  | Electrician's S1 round blade slotted head screwdriver<br><b>T-...E</b><br>Ref : 4x100 mm                      |
|   | x 3  | Mechanic's S1 round blade slotted head screwdriver<br><b>T-...M</b><br>Ref : 5,5x100 - 6,5x100 - 8x150 mm     |
|  | x 3  | Phillips® S1 round blade screwdriver<br><b>T-...P</b><br>Ref : N°1 - N°2 - N°3                                |
|  | x 1  | Phillips® S1 round blade tom thumb screwdriver<br><b>T-...P_Tom_pouce</b><br>Ref : N°2                        |
|  | x 1  | Electrician's S1 round blade tom thumb slotted head screwdriver<br><b>T-...E_Tom_pouce</b><br>Ref : 6,5x35 mm |
|  | x 30 | 31-piece screwdriver bit set<br><b>E900-J30B</b>                                                              |
|   | x 1  | 3/3 FOAM MOD 24 STRIK TOOLS<br><b>CP-24MM</b>                                                                 |
|  | x 1  | SAMSOPLUS® riveting hammer, three-material handle<br><b>310-...TM</b><br>Ref : 32 mm                          |
|  | x 1  | Mallets with interchangeable tips<br><b>320-...D</b><br>Ref : 32 mm                                           |



x 1

Short tape measures with two-material casings

**UB-...N**

Ref : 2 m



x 1

Slide callipers with 1/2"0 mm precision

**710-P-8**



x 1

Plastic body scriber

**665-11**



x 6

Short drift punches

**7-C...A**

Ref : 1,9 - 2,9 - 3,9 - 4,9 - 5,9 - 7,9 mm



x 1

Knife with retractable blade

**378-7**



x 5

Set of 5 helix pullers

**761-C-5**



x 1

Fitted flat hand file

**LPM-...E**

Ref : 250 mm



x 1

Fitted round files

**LR-...-E**

Ref : 250 mm



x 1

Fitted half-round files

**LDR-...-E**

Ref : 250 mm



x 2

Constant section chisels with comfortable handle

**3-...-G**

Ref : 175 - 200 mm



x 1

Punch 10 mm

**8N-...A**

Ref : 8 mm



x 1

3/3 FOAM MOD 40 WRENCHES

**CP-40MM**



x 19

Extra-thin combination wrench

**50N-...**

Ref : 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 mm



x 9

Set of 9 multi-nut inch / metric ratchet combination spanners

**50-HCJ9**

Ref : 10 - 11 - 12 - 13 - 14 - 16 - 17 - 18 - 19 mm



x 1



x 8

Set of 8 offset ring wrenches in mm  
**105-J8D**



x 4

Torx® polygonal straight wrench  
**9T-...**  
Ref : E6xE8 - E10xE12 - E14xE18 - E20xE24 mm

MODM 3/3 78 SOCKET+SCREWDRIVER  
**CP-78MM**



x 10

Set of sockets for rounded nuts and pins  
**74NJ-J10**  
Ref : 6 - 8 - 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 - 21 - 24 - 27 mm



x 9

1/2" short hexagonal sockets in mm  
**SH-...**  
Ref : 10 - 11 - 12 - 14 - 16 - 18 - 20 - 22 - 24 mm



x 5

Socket sets 1/2" long impact car wheel nuts  
**19141-95**  
Ref : 15 - 17 - 19 - 21 - 22 mm



x 10

1/2" long hexagonal impact sockets in mm  
**NS-...L**  
Ref : 10 - 12 - 13 - 14 - 15 - 19 - 21 - 22 - 30 - 32 mm



x 1

Shock socket extra-long slim 1/2" "  
**19141-...M**  
Ref : 36 mm



x 7

1/2" screwdriver socket - hexagonal  
**SC-...1/2\_6\_pans**  
Ref : H5 - H6 - H7 - H8 - H10 - H12 - H14



x 8

1/2" Torx® screwdriver socket  
**ST-...-...**  
Ref : T25 - T27 - T30 - T40 - T45 - T50 - T55 - T70



x 10

1/2" XZN® screwdriver socket  
**SD-...-...**  
Ref : L55 : M6 - M8 - M10 - M12 - M14L100 : M6 - M8 - M10 - M12 - M14



x 8

1/2" ribs screwdriver socket  
**SR-...**  
Ref : L100 : RB5 - RB6 - RB7 - RB8 - RB10 - RB12L200 : RB8 - RB9