



Terminals & Splices > Ring Terminals & Spade Terminals



Ring & Spade Terminal Type: **Ring Tongue**

Wire Size: **33100 – 52600 CMA**

Stud Size: **M6**

Features

Product Type Features

Shape Description	RING-080
Stud Size	M6
Sealable	No
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Terminal Angle	180 °
----------------	-------

Body Features

Inspection Slot	No
-----------------	----

Contact Features

Ring & Spade Terminal Type	Ring Tongue
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------



Dimensions

Wire Size	33100 – 52600 CMA
Stud Diameter	6.1 mm[.24 in]
Tongue Thickness	.79 mm[.031 in]
Overall Product Length	33.38 mm[1.31 in]
Barrel Inside Diameter	7.52 mm[.296 in]

Usage Conditions

Insulation Requirement	Uninsulated
Operating Temperature Range	170 °C[338 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin
Heavy Duty	No

Industry Standards

Government Qualified	No
----------------------	----

Packaging Features

Packaging Quantity	100
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2021 (219) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 130296

TERMINAL RING TONGUE D G STUD 5 MM

Customers Also Bought

TE Part #33470

TERMINAL,SOLIS R 4 5/16

TE Part #160075

SOLIS 4 R M10

TE Part #165034

PIDG RING 12-10 1/4

TE Part #EK4853-000

91H3-09-04-1-ZN-HE050

TE Part #ZPF000000000011605

BJE 98

TE Part #0016072001


DWP-125-1-2-STK

TE Part #ZPF000000000001192

097-0006-16

TE Part #136061-1

TERMINAL SOLISTRAND 2/0 BENT 135 DEG



Documents

Product Drawings

TERMINAL SOLISTRAND RING TONGUE DIA 6,1

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_130560_O.3d_igs.zip

English

Customer View Model

ENG_CVM_130560_O.3d_stp.zip

English

Customer View Model

ENG_CVM_130560_O.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Environmental Compliance

MD_130560_12262017154_dmtec

English

MD_130560_12262017154_dmtec

English

Agency Approvals

UL Report

English