

SPC-6 FE 6.8 / 16 - Spring



5137046

<https://www.phoenixcontact.com/gb/products/5137046>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Spring, Spring-cage

Your advantages

- Clamping space opened by means of fixed screwdriver enables convenient conductor connection
- Short stripping length
- High contact force

Commercial data

Item number	5137046
Packing unit	2,000 pc
Minimum order quantity	2,000 pc
Note	Made to order (non-returnable)
Sales key	ACEPBC
Product key	ACEPBC
GTIN	4017918611163
Weight per piece (including packing)	1.384 g
Weight per piece (excluding packing)	1.381 g
Customs tariff number	85389099
Country of origin	DE

SPC-6 FE 6.8 / 16 - Spring

5137046

<https://www.phoenixcontact.com/gb/products/5137046>



Technical data

Notes

General	Further information and detailed dimensions are available in the download area.
---------	---

Product properties

Product type	Mounting material
Type	Spring-cage

Connection data

Nominal cross section	6 mm ²
-----------------------	-------------------

Material specifications

Material (Spring contact)	Steel
---------------------------	-------

Classifications

ECLASS

ECLASS-13.0

27141190

ETIM

ETIM 9.0

EC002848

UNSPSC

UNSPSC 21.0

39121400

SPC-6 FE 6.8 / 16 - Spring



5137046

<https://www.phoenixcontact.com/gb/products/5137046>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

China RoHS

Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

Phoenix Contact 2025 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT Ltd
Halesfield 13, Telford
Shropshire, TF7 4PG
01952 681700
info@phoenixcontact.co.uk