SIEMENS

Data sheet 5TG4822



DELTA i-system HotelCard switch illuminated carbon metallic, 55x 55 mm

Model		
product brand name		DELTA
product designation		Hotel card switch
design of the product		55x55 mm
cover version		hotel card
General technical data		
marking		without imprint
surface processing		others
material		thermoplast
Protection class		
protection class IP		IP20
Suitability		
suitability for integration		switch/pushbutton
 bus system pushbutton coupling 		Yes
Appearance		
appearance		shiny
RAL color number		Similar to RAL 7016
color		Carbon metallic
Product details		
product component		
replaceable lens		No
labeling field		Yes
product feature halogen-free		Yes
Mechanical Design		
fastening method		other
material of cover for switch pushbutton dimmer		plastic
Approvals Certificates		
General Product Approval	other	

Confirmation



Confirmation

Miscellaneous

Further information

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG4822

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/5TG4822

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG4822

CAx-Online-Generator

http://www.siemens.com/cax **Tender specifications**

http://www.siemens.com/specifications



3/16/2023 last modified: